



Klugmann Hausgeraete GmbH. Gropiusstraße 7,
48163 Münster, Deutschland
+49 (0)2501 - 963 5732
+49 (0)2501 - 963 1834
e-Mail: info@klugmann-hausgeraete.de
www.klugmann-hausgeraete.de

Visit our gallery : Trauttmansdorffstraβe 95, 48153 Münster




Welcome..

KLUGMANN provides extensive and inimitable product range covers all kind of the modern kitchen appliances. As a premium brand, KLUGMANN positions and ranks herself in the high segment of the world market, since all the appliances are premium European manufacturing oriented. Find out how we combine the simplicity and the ground-breaking technology with the high performance and functionality.

KLUGMANN as one of the leading promoters of domestic appliances is combining advanced technology with exclusive, distinctive design and first-rate performance. With its innovative, safe, stylish and environmentally friendly products KLUGMANN aims to become the most innovative, design-minded creator of home appliances in the world.





Cooking is culture... Food is tradition

We adopt in KLUGMANN a slogan, "Enjoy your homemade food" we help the people to discover the meaning of family and encourage them to turn to their kitchen to enjoy the art of cooking and the smell of the healthy food they can make easier when using our appliances.

Do you remember the first place you eat the Ravioli or the Neapolitan Pizza, even not, Pizza means Italy and Ravioli is a traditional in the Italian cuisine and reflects the Italian culture and smell. Chow Mein brings to mind the Chinese food where the rice is served with most dishes and meals in the daily life of the Chinese. Who doesn't know the German Bratwurst or the Fresh Asparagus or Apple Pancakes or the German bakeries where the bread is part of the German history and culture! In France, a country of the Baguette (French bread) or the Union Soup, the Roast Beef and Yorkshire Pudding is the national dish in England. The Tandoori Chicken in India,Molokhia in Egypt, Katsudon in Japan, Borscht in Russia, Shawarma in UAE and some other Arab countries and the JamónIbérico In Spain.





KLUGMANN has the most extensive and inimitable product range covers all kind of the kitchen appliances. As a premium brand, KLUGMANN positioned and ranked itself in the high segment of the world market, since all the appliances are the premium European manufacturing oriented, and our service rated as the "Premier" everywhere we do serve our customers.

KLUGMANN is a German specialist in the realm of the kitchen appliances, since we have a resourceful and very extensive history and experience. We create constantly our state-of-the-art innovations, novelties and diverse brilliant solutions through our well experienced R&D team who dedicated all the time in, how to deliver our customers not only the innovative Ideas but the smartand safe solutions.

About us	1
Ovens	2
NEW KO Design	3
NEW Drive your oven	4
Steam oven	5
Microwave	6
Coffee maker	7
Cooktop	8
Hood	9
Dishwasher	10
Washing machine	11
Refrigerators	12
Features & Functions	13



GENERAL CONCEPT

Inimitable product range & kitchen solutions

KLUGMANN offers one of the most extensive and outstanding kitchen appliances range on the market, which combines to integration of the top notch materials, diversified features and different cooking functions combined with designs where the elegance and simple forms make all the difference in your kitchen.

Withstand the test of time

Here at KLUGMANN, we know that by time your kitchen getting to be extinguished, which is why we pay attention to the details so that our ovens always look like the first time of installation. Our anti-fingerprint, the Nano anti-finger print coating and enamel treatments ensure your oven maintains its youthful appearance over the years.





KLUGMANN ovens have been masterminded so that you can make the most of your dishes with the maximum energy saving. Many of our ovens rated A+ energy efficient, which guarantees the best performance possible per unit of consumed energy.



















We bring you a story of the smart Oven, the SCS oven.

Why we struggle to make a "smart Oven" with SCS, because time and temperature control not only saves Time, Work, Worry, and Fuel, but actually saves Food Values, Flavors, and Food Losses

Smart Cooking System (SCS)

This is true automatic cooking where all you have to do is choose the dish from the available pre-sets, place the food on the suggested shelf level and press start. The oven does all the rest of the hard work for you and sets all cooking parameters, so all you do is set, and forget until cooking has ended.




How SCS works?

- There are two separate intelligent sensors inside the cavity of the oven. They assess the weight and humidity of the food, and then use the available functions in an alternate manner to cook the specified dish with the best possible results.











Easy-to-clean with just a glass of water
At KLUGMANNyou find the most ecological oven cleaning technology on the market. AQUACLEAN system enables you to clean your oven in only 24 minutes using just a glass of water
and with no extra effort.










CoolSys™ Oven

The control device of the automatic cooling system will switch on the cooling fan when the cavity temperature will reach to 65oCor more.

The overheating protection system will cut off the power supply automatically when the temperature reached 85oC or above. This keeps the user and handle areas cool to touch.






Nano treated coated Stainless steel finish

With such first-rate stainless steel and the antifingerprint coating, enjoy a long lasting shiny and cleaned appliances.













More capacity for versatile use, our up to 67L ovens enables you cook your diversified dishes easily.







40 Design

A TOTALLY NEW RANGE FROM KLUGMANN



NEW PRODUCTS









Whether the classic rotary control or our high resolution LCD touch display like your phone, you will enjoy the quality and durability which are coming with fun. Rely on our technology, since Klugmann designed to make your life easier with such multitude of ready and reliable cooking programs, the details we care is our success secret, our RADÍX.



- KO600
- Radix Multifunction Electric Oven



- 10 diferrent cooking FunctionsPush buttons with electronic display
- Insulfront™ Multilayered tempered glass: 3 glazed oven door and reflec-tive panes inner glass
- · Easy clean non-stick enameled cavity • ComfyClose™ oven door

- FlixiShelf™: telescopic and adjustable oven inside racks
- Uniform baking
- XL Oven Capacity: 66 L
- Energy efficiency: A
- 1 Roasting tray and deep tray



KO610X

Radix Multifunction Electric Oven



- 10 diferrent cooking Functions
- Push buttons with electronic display Insulfront™ Multilayered tempered
- glass: 3 glazed oven door and reflective panes inner glass
- Easy clean non-stick enameled cavity
- ComfyClose™ oven door

- FlixiShelf™: telescopic and adjustable oven inside racks
- Uniform baking
- XL Oven Capacity: 66 L
- Energy efficiency: A
- 1 Roasting tray and deep tray



KO610BL^{new}


Radix Multifunction Electric Oven



- 10 diferrent cooking Functions
- · Push buttons with electronic display
- Insulfront™ Multilayered tempered glass: 3 glazed oven door and reflective panes inner glass
- Easy clean non-stick enameled cavity • ComfyClose™ oven door

- FlixiShelf™: telescopic and adjustableoven inside racks
- Uniform baking
- XL Oven Capacity: 66 L
- Energy efficiency: A
- 1 Roasting tray and deep tray











Radix Multifunction Electric Oven



- 10 diferrent cooking Functions
- Push buttons with electronic display
- Insulfront™ Multilayered tempered /glass: 3 glazed oven door and reflective panes inner glass
 • Easy clean non-stick enameled
- cavity ComfyClose™ oven door

- FlixiShelf™: telescopic and adjustable oven inside racks
- Uniform baking
 XL Oven Capacity: 66 L
 Energy efficiency: A
- 1 Roasting tray and deep tray



KO630 new

Radix Multifunction Electric Oven



- 10 diferrent cooking Functions
- Push buttons with electronic display
- Insulfront™ Multilayered tempered glass: 3 glazed oven door and reflective panes inner glass
- Easy clean non-stick enameled cavity • ComfyClose™ oven door

- FlixiShelf™: telescopic and adjustable oven inside racks
- Uniform baking
- XL Oven Capacity: 66 L Energy efficiency: A
- 1 Roasting tray and deep tray



KO630.5 new


Radix Multifunction Electric Oven



- 10 diferrent cooking Functions
- · Push buttons with electronic display
- Insulfront™ Multilayered tempered glass: 3 glazed oven door and reflective panes inner glass
- Easy clean non-stick enameled cavity • ComfyClose™ oven door

- FlixiShelf™: telescopic and adjustable oven inside racks
- Uniform baking
- XL Oven Capacity: 66 L
- Energy efficiency: A
- 1 Roasting tray and deep tray





This is the utmost invest of the technology combined with chic of lighting red rays and designed handles, we vary the colors and intermix them with lighting in consistency and symmetry for long lasting elegance, check it out with Tractare range



K0640 new

Tractare Multifunction Electric Oven













- 10 diferrent cooking Functions
- Push buttons with electronic display
- Aqualystic cleaning system
- Insulfront™ Multilayered tempered glass: 3 glazed oven door and reflective panes inner glass
- Easy clean non-stick enameled

- ComfyClose™ oven door
 FlixiShelf™: telescopic and adjustable oven inside racks
- CoolSys[™] Oven, tangential cooling fan
 • XL Oven Capacity: 66 L
 • Energy efficiency: A
 • 1 Roasting tray and deep tray



KO650 new

Tractare Multifunction Electric Oven

















- 10 diferrent cooking Functions
- Push buttons with electronic display
- Aqualystic cleaning system Insulfront™ Multilayered tempered glass: 3 glazed oven door and reflec-
- tive panes inner glass • Easy clean non-stick enameled cavity

- ComfyClose[™] oven door
- FlixiShelf™: telescopic and adjustable oven inside racks
- CoolSys[™] Oven, tangential cooling fan
 • XL Oven Capacity: 66 L
 • Energy efficiency: A
 • 1 Roasting tray and deep tray



K0666 new

Tractare Multifunction Electric Oven

- 10 diferrent cooking Functions
- Push buttons with electronic display
- Aqualystic cleaning system
- Insulfront™ Multilayered tempered glass: 3 glazed oven door and reflective panes inner glass
- Easy clean non-stick enameled cavity

- ComfyClose[™] oven door
- FlixiShelf™: telescopic and adjustable oven inside racks
- CoolSys™ Oven, tangential cooling fan • XL Ouen Capacity: 66 L • Energy efficiency: A • 1 Roasting tray and deep tray





Tractare Multifunction Electric Oven



- 10 diferrent cooking Functions
- Push buttons with electronic display
- Aqualystic cleaning system
- Insulfront™ Multilayered tempered glass: 3 glazed oven door and reflective panes inner glass
- Easy clean non-stick enameled cavity

- ComfyClose[™] oven door
- FlixiShelf™: telescopic and adjustable
- CoolSys™ Oven, tangential cooling
- XL Oven Capacity: 66 L
- Energy efficiency: A
- oven inside racks

- 1 Roasting tray and deep tray



Tractare Multifunction Electric Oven



- 10 diferrent cooking Functions • Push buttons with electronic display
- Aqualystic cleaning system
 Insulfront™ Multilayered tempered glass: 3 glazed oven door and reflec-
- tive panes inner glass • Easy clean non-stick enameled cavity

- ComfyClose™ oven door
- FlixiShelf™: telescopic and adjustable oven inside racks
- CoolSys™ Oven, tangential cooling fan • XL Oven Capacity: 66 L • Energy efficiency: A • 1 Roasting tray and deep tray



• 10 diferrent cooking Functions

• Easy clean non-stick enameled

Aqualystic cleaning system

tive panes inner glass

cavity

• Push buttons with electronic display

Insulfront™ Multilayered tempered glass: 3 glazed oven door and reflec-

K0670.5 new

Tractare Multifunction Electric Oven





- ComfyClose™ oven door • FlixiShelf™: telescopic and adjustable oven inside racks
 - CoolSys™ Oven, tangential cooling
 - XL Oven Capacity: 66 L Energy efficiency: A

 - 1 Roasting tray and deep tray





KO660

Tractare Multifunction Electric Oven



- 10 diferrent cooking FunctionsPush buttons with electronic display
- Aqualystic cleaning system
 Insulfront™ Multilayered tempered glass: 3 glazed oven door and reflective panes inner glass
 • Easy clean non-stick enameled
- cavity

- ComfyClose™ oven door
 FlixiShelf™: telescopic and adjustable oven inside racks
- CoolSys[™] Oven, tangential cooling fan

- XL Oven Capacity: 66 L
 Energy efficiency: A
 I Roasting tray and deep tray





Tractare Multifunction Electric Oven



- 10 diferrent cooking FunctionsPush buttons with electronic display
- Aqualystic cleaning system
 Insulfront™ Multilayered tempered glass: 3 glazed oven door and reflective panes inner glass
- Easy clean non-stick enameled cavity

- ComfyClose™ oven door
 FlixiShelf™: telescopic and adjustable oven inside racks
- CoolSys[™] Oven, tangential cooling
- XL Oven Capacity: 66 L Energy efficiency: A
- 1 Roasting tray and deep tray





We believe the art can change the world, here Klugmann use such outstanding fully touch control display and LCD for all-in-one kitchen use combined with simple design which take you to another level of peace of mind, each is a piece of art, designed chic.



- 10 diferrent cooking FunctionsTouch capacitive LCD display88 preset baking programmes

- 20 user programmes
- Pyrolystic cleaning systemEasy clean non-stick enameled cavity
- Soft light
- InsulFront & Reflexive pans
 Soft open & close

- Bluetooth loud speakersWi-Fi enabled oven
- Weather forecast
- ECO function
- Oven capacity: 66L
 Slow cooking
- Rapid preheating
- Uniform baking



- 10 diferrent cooking Functions
- Touch capacitive LCD display
- 88 preset baking programmes
- 20 user programmesPyrolystic cleaning system
- Easy clean non-stick enameled cavity
- Soft light
- InsulFront & Reflexive pans
- Soft open & close

- Bluetooth loud speakers
- Wi-Fi enabled oven
- Weather forecast
- ECO function
- Ouen capacity: 66LSlow cooking
- Rapid preheating
- Uniform baking



K0690 new

Sigma Multifunction Electric Oven











- 10 diferrent cooking Functions
- Touch capacitive LCD display
- 88 preset baking programmes
- 20 user programmes
- Pyrolystic cleaning system
- Easy clean non-stick enameled cavity
- InsulFront & Reflexive pans
- Soft open & close

- Bluetooth loud speakers
- Wi-Fi enabled oven
- Weather forecast
- ECO function
- Oven capacity: 66L
- Slow cooking
- Rapid preheating
- Uniform baking



K0690.5 new

Sigma Multifunction Electric Oven















- 10 diferrent cooking Functions
- Touch capacitive LCD display
- 88 preset baking programmes
- 20 user programmesPyrolystic cleaning system
- Easy clean non-stick enameled cavity
- Soft light
 InsulFront & Reflexive pans
- Soft open & close

- Bluetooth loud speakers
- Wi-Fi enabled oven
- Weather forecast
- ECO function
- Oven capacity: 66L
- Slow cooking
- · Rapid preheating
- Uniform baking



- 10 diferrent cooking Functions
- Touch capacitive LCD display
- 88 preset baking programmes20 user programmes
- Pyrolystic cleaning system
- Easy clean non-stick enameled cavity
- InsulFront & Reflexive pans
- Soft open & close

- Bluetooth loud speakers
- Wi-Fi enabled oven
- Weather forecast ECO function
- Oven capacity: 66L
- Slow cooking
- Rapid preheating
- Uniform baking



- 10 diferrent cooking Functions
- Touch capacitive LCD display
- 88 preset baking programmes
- 20 user programmes
- Pyrolystic cleaning system
- Easy clean non-stick enameled cavity
- Soft light
 InsulFront & Reflexive pans
- Soft open & close

- Bluetooth loud speakers
- Wi-Fi enabled oven
- Weather forecast
- ECO function
- Oven capacity: 66L Slow cooking
- Rapid preheating
- Uniform baking





FIND OUT THE SECRESTS OF YOUR

CooKingTM oven has been constructed and designed with inspiration from the joystick controller and the i-Drive of BMW, KLUGMANN designed this oven with round wide interactive colored LCD to enhance the shape of the joystick and give you simplified programming. CooKing™ has more than 70 pre-programmed ready meals and dishes, of which you can only choose your desired dish of meat, vegetables or pastry and just press OK.

On the right side of our joystick on TFT display you can enjoy cooking with 14 different functions and receive the CooKing™ help with more than 50 recipes and the other equipped functions and features of CooKing™. On the left side, you will find the settings of the CooKing™ where you can choose your language from more than 15 languages, change the colors, sounds, read some books and listen some music..etc

CooKing™ 60cm 14 function XXL Aqualystic smart Oven with Joystickintelligent use control and large right and left LCD, 70 auto programs and 50 different recipes.

























- 14 diferrent cooking Functions
- · Joystick smart use control panel.
- InsuldoorMultilayered tempered glass:3 glazed oven door and reflective panes inner glass.
- AqualysticSelf-Cleaning system.
- ComfyClose™ oven door
 Boost (Rapid Pre-Heating)
- 20 user programs and 37 baking programs
- Easy removable and accessible oven glass door

- TemProbe™ inside the food Cooking delay or stop
- FlixiShelf™: telescopic and adjustable oven inside racks
- CoolSys™ Oven, tangential cooling fan.
- Ouen light on top
- XXL Oven Capacity: 72 L
- Energy efficiency: A

LUGMANN'



- 9 diferrent cooking Functions
- SensiAct™smart use control
- Insulfront™ Multilayered tempered glass:3 glazed oven door and reflective panes inner glass.



- Cooking delay or stop
- FlixiShelf™: telescopic and adjust-able
- oven inside racks
- CoolSys[™] Oven, tangential cooling fan
- Energy efficiency: A
- 3 Roasting trays2 non Stick deep 1 tray
- 1 wire roasting tray

- XXL Oven Capacity: 64 L

KO615TFTX^{new} 60cm 15 function Aqualystic smart Oven

KO615TFTB^{new}

60cm 15 function Aqualystic smart Oven

- Aqualystic Self-Cleaning system
 ComfyClose™ oven door
- Boost (Rapid Pre-Heating)
- 20 user programs and 37 baking programs.
- · Easy removable and accessible oven glass door
- Child lock
- TemProbe[™] inside the food

- 15 diferrent cooking Functions
- SensiAct™smart use control panel.

• 15 diferrent cooking Functions • SensiAct™smart use control panel.

ComfyClose™ oven door

• 20 user programs

 Digital slideshow • Boost (Rapid Pre-Heating)

Child lock

• 37 baking programs

door and reflec-tive panes inner glass.

• Multimedia cookbook (51 receipts)

• Insulfront™ Multilayered tempered glass: 3 glazed oven

Aqualystic Self-Cleaning system with Easy clean enamel interior

- Insulfront™ Multilayered tempered glass: 3 glazed oven door and reflec-tive panes inner glass.
- Aqualystic Self-Cleaning system with Easy clean enamel interior
- ComfyClose™ oven door
- · 20 user programs
- 37 baking programs
 Multimedia cookbook (51 receipts)
- Digital slideshow
- Boost (Rapid Pre-Heating)
- Child lock

- TemProbe[™] inside the food
- FlixiShelf™: telescopic and adjustable oven inside
- CoolSys™ Oven, tangential cooling fan.
- TemProbe inside the food
- Easy removable and accessible oven glass door
- XXL Oven Capacity: 66 L
- Energy efficiency: A
- 3 Roasting trays

16 🔾 0 17



KO611ICX

Multifunctional-built in oven, 60 cm, finish: stainless steel / black glass with 11 functions and full touch control



- Temperature range: 40 250° C
- · Cross air flow and cooling of housing
- Operation indicator light
- Oven temperature display
- Full-touch-control
- · Programmable timer (beginning, duration and end of cooking time)
- Timer
- Easy to clean cavity
- Side wire racks
- Telescopic shelf (1 set)
- 64 Liter Inner Cavity
- · Triple glazed with inner pane ventilation
 - · All panes can easily be disassembled and cleaned and taken off without extra tools
 - Oven door can be taken off
 - 1 cooking grid
 - 1 baking tray
 - 1 extra deep dripping pan (60 mm tief)
 - Device W/H/D: 596/594/566 mm
 - Mounting dimensions W/H/D: 560/585/550 mm
 - Connection: 3,4 kW, 230 V/50 Hz/16 A
 - Energy efficiency class: A
 - Energy consumption conventional heating: 0,85 kWh
 - Energy consumption circulating air: 0,83 kWh
 - Oven capacity: 64 Liter



KO611.5ICX^{new}

Multifunctional-built in oven, 60 cm, finish: stainless steel / black glass with 11 functions and full touch control



- Temperature range: 40 250° C
- · Cross air flow and cooling of housing
- Operation indicator light
- Oven temperature display
- Full-touch-control
- · Programmable timer (beginning, duration and end of cooking time)
- Timer
- Easy to clean cavity
- Side wire racks
- Telescopic shelf (1 set) • 64 Liter Inner Cavity
- · Triple glazed with inner pane ventilation



KO608TCB

Multifunctional-built in oven, 60 cm, finish: Full white glass, touch control with 10 functions




- Temperature range: 30 280° C
- Single push button
- · Full touch control panel
- Cross air flow and cooling of housing
- · Operation indicator light
- Oven temperature display
- Oven time display
- · Interior: Easy to clean cavity
- Side wire racks
- 65 Liter Inner Cavity
- Triple glazed with inner pane ventilation
- Oven door can be taken off
- 1 cooking grid
- 1 baking tray
- 1 extra deep dripping pan (60 mm tief)
- Device W/H/D: 596/594/566 mm
- Mounting dimensions W/H/D: 560/585/550 mm
- Connection: 3,1 kW, 230 V/50 Hz/16 A
- Energy efficiency class: A
- Energy consumption Top Heater: 0,9 kWh
- Energy consumption Bottom Heater: 1.1 kWh
- Energy consumption circulating air: 2.0 kWh



KO608.1TCB new

Multifunctional-built in oven, 60 cm, finish: Full white glass, touch control with 10 functions





- · Single push button
- · Full touch control panel
- Cross air flow and cooling of housing
- Operation indicator light
- Oven temperature display
- Oven time display
- · Interior: Easy to clean cavity
- Side wire racks
- 65 Liter Inner Cavity
- Triple glazed with inner pane ventilation



- Oven door can be taken off
- 1 cooking grid
- 1 baking tray
- 1 extra deep dripping pan (60 mm tief)
- Device W/H/D: 596/594/566 mm
- Mounting dimensions W/H/D: 560/585/550 mm
- Connection: 3,1 kW, 230 V/50 Hz/16 A
- Energy efficiency class: A
- Energy consumption Top Heater: 0,9 kWh
- Energy consumption Bottom Heater: 1.1 kWh
- Energy consumption circulating air: 2.0 kWh

KO608TCP

Multifunctional-built in oven, 60 cm, finish: Full white glass, touch control with 8+1 functions



- Single push button
- · Full touch control panel
- Cross air flow and cooling of housing
- · Operation indicator light
- Oven temperature display
- Oven time display
- Interior: Easy to clean cavity
- Side wire racks
- 65 Liter Inner Cavity
- Triple glazed with inner pane ventilation

KO608TCP

Multifunctional-built in oven, 60 cm, finish: Full white glass, touch control with 8+1 functions



- Temperature range: 30 280° C
- Single push button
- Full touch control panel
- · Cross air flow and cooling of housing
- Operation indicator light
- Oven temperature display
- Oven time display
- Interior: Easy to clean cavity
- Side wire racks
- 65 Liter Inner Cavity
- Triple glazed with inner pane ventilation





KGO900GFX

90cm Fan Assisted Gas Gas Oven Gas Oven with 3 Functions Gas oven + Gas grill + Gas oven & Fan



Standard Features :

- Standard mechanical knobs
- Easy to remove and clean Low-E inner glass
- Double glazed oven door
- 91 Litre-easy to clean cavity
- 1 Flat Tray + 1 Deep Tray + 1 Grid
- FFD (Gas Safety) • Gas grill : 1.2 KW
- Gas oven : 2.5 KW

Optional Features:

- Side wire racks • Telescopic shelf (1 set)
- Rotisserie
- Additional tray (deep or flat)
- Glass tray
- Mirror type door glass
- Catalytic Panels (Sides and Rear)
- Triple glazed oven door

KG0600.5GFX

60cm BUILT IN FAN ASSISTED Gas OVEN with 3 Functions Electric grill + Fan









- Standard mechanical knobs
- Painted handle
- · Glass oven door
- Easy to remove and clean Low-E inner glass
- · Double glazed oven door
- 64 Litre-easy to clean cavity
- 1 Flat Tray + 1 Deep Tray + 1 Grid
- FFD (Gas Safety)
- Gas grill : 1.2 KW



- Gas oven : 2.5 KW
- Side wire racks
- Telescopic shelf (1 set)
- Rotisserie
- Additional tray (deep or flat)
- Glass tray
- Mirror type door glass
- Catalytic Panels (Sides and Rear)
- Triple glazed oven door

20 0



CombiPlus™

For more healthy food or the healthiest food ever, the Steam Oven in this regard is indispensable, and what is amazing at KLUGMANN Steam range is the mixing of the Steam with the conviction and the grill function, so you can make all easier and tastier! Some of our steam ovens can also reheat and disinfect, since many people reheat the served food they lose the moisture and texture of their food but with our steam ovens you will keep the original look and taste of the fresh served food!

Our 1.4L water tank will be sufficient for the entire cooking function, so no need for pre-plumbing!




Main Features

- The steam cooking is up to 130c and the professional cooking up to 230c $\,$
- Ready menu has more than 20 recipes
- Functionality: Up to 11 functions
- Capacity: Up to 38 litters



What are the benifits of

Steam Cooking?



the structure of the food which is

- Steam cooking puts away your worries that the vegetables you are preparing will turn into a mash or puree. Many types of vegetables are quickly cooked and lose its shape.
- Unlike other ways of preparing food, steam cooking does not destroy the structure of

the food prepared or its original taste.



Retains

taste, color and juice of food

Steam cooking retains the original color, taste, the juice and the freshness of food and you can add spices in the water used for steam cooking and thus give the food special taste.

24 | S | 25

Doesn't Require Oil...

- In spite of fruits and vegetables, grains and legumes can also be cooked by steam cooking.

Certainly, if we want to, we can add a several tablespoons of olive or linseed oil before serving the meal cooked by steaming.

Retains

vitamins and minerals

Mineral content

100% 95% 90% 85% 80%







steamed

Vitamin content

100% 95% 90% 85% 80%







- During the steam cooking the loss of vitamins and minerals is minimal.
- Take for example broccoli, when steamed, it retains 81% vitamin C, and when cooked in water, only 30%. When steamed, broccoli loses only 11% flavonoids, when cooked in water 66%, and in microwave it loses 97%.

Therefore, if you want to eat healthy food, rich in natural vitamins and minerals, steam it or eat it raw.



Cook almost everything

Steam cooking is not used for cooking vegetables only, as we usually think. Almost everything can be cooked by steam cooking.

In spite of fruits and vegetables, grains and legumes can also be cooked by steam cooking.

Saves

By steam cooking we can prepare food on several levels at the same time, saving energy. Over-cooking and burning are avoided





KSO6612ICX new

Steam Oven, combined, 12 combined



Features:

- 12 diferrent cooking Functions
- SensiAct™smart use control
- Insulfront Multilayered tempered glass: 3 glazed oven door and reflective panes inner glass.
- Aqualystic Self-Cleaning system with Easy clean enamel interior
- ComfyClose™ oven door
- 34 pre-set recipes
- Boost (Rapid Pre-Heating)

- Child lock
- TemProbe inside the food
 FlixiShelf: telescopic and adjustable oven inside racks
- CoolSys™ Oven, tangential cooling fan.
 TemProbe™ inside the food
- Easy removable and accessible oven glass door
- XL Oven Capacity: 66 L
 Energy efficiency: A
- 3 Roasting trays



KSO38ICX new

45cm Compact Steam Oven With Grill and SensiAct™













Features:

- LED fully electronic display.
- Descale sitting.

- Dedecting failures system.
 No water warning.
 Door inter lock (Child Safty)
- Automatic Cut-off timer.4 wire shelf position.
- · Water tank subassembly.
- Pump.
- · Stainless Steel cavity.

smart use control









Functions: · Steaming.

- Meat Steaming. · Fish cooking.
- Vegetables.
- Reheating & Disinfection.
- Grilling. Pizza & Defrost.





Microwave Oven



KMO50TCX new

45 cm Built-in Oven with Microwave

- 45 cm Built-in Oven with Microwave
- Microwave capacity XL 50L
- Max power 3150W
- LED Touch Control
- · Safety switch off
- · Triple Glazed glass door
- Easy clean
- Fast preheating

- Electronic oven clock timer
- 5 shelf positions
- 14 combined functions.
- Conventional (Top + Bottom), Radiant heat, Double grill (Top
- + Radiant), Double grill + fan, Bottom heat/Bake, Conventional+fan, Fan, Pizza, Keep Warm, Drying, Defrost, Plate warm, Preheating, ECO, Dough Proving



KM032X

MicrowaveOven, combined, 32 L



Features:

- · Microwave distribution:turntable
- Interior light
- Auto menu
- · Defrost by weight
- Defrost by time
- · Electronic clock
- +30 sec
- · Speed cook
- · Cooking end signal

- Delay protection
- Permatron protection
- Child safety lock
- Cavity material: stainless steel
- Volume(litres):25
- Microwave output(W):900
- Fuse rating(A):10
- Voltage and frequency code:E/F
- · Included accessories:



Features:

- · Microwave distribution:turntable
- Interior light
- Ready menu
- · Defrost by weight
- · Defrost by time
- Electronic clock
- +30 sec
- Speed cook
- · Cooking end signal
- Delay protection
- Permatron protection
- · Voltage and frequency code:E/F
- · Included accessories:1x glass tray



KM025,5X

MicrowaveOven, combined, 25 L



- 1x turntable ring
- 1x assembly grill rack
- Dimensions and loading quantity:
- Turntablediameter (mm):315
- Cavity dimensions(HxWxD)(mm):208x330x369
- Built-in dimensions(HxWxD) (mm):380x560x500
- · Child safety lock
- Cavity material: stainless steel
- Volume(litres): 30L • Microwave output(W):900



KMO25BX new

25L combined Microwave Oven

Features:

- · Microwave Distribution: Turntable
- Interior Light
- Auto Menu
- Defrost By Weight
- · Defrost By Time
- Electronic Clock
- +30 Sec
- Speed Cook

Functionality:

- · Control System Electronic Control
- Timer 90 Min Electronic
- Grill 1500 W
- Microwave 1000 W

- · Cooking End Signal
- Delay Protection
- Child Safety Lock
- · Cavity Material: Stainless Steel
- Volume (Liters): 25
- Microwave Output (W):900
- Fuse Rating (A):10
- · Voltage And Frequency Code: E/F
- Included Accessories:
- 5 Power Levels
- Time Defrosting
- Multi-Stage Heating
- · Children Safety Lock
- · Stainless Steel Interior

- 1x Glass Tray
- 1x Turntable Ring
- 1x Assembly Grill Rack • Dimensions And Loading Quantity:
- Turntable Diameter (Mm):315
- Product Size (W*D*H Mm) 594*403*382
- Gross Weight (Kg):21
- Net Weight (Kg):18
- 38mm x 56mm x 50mm x 25l
- Turntable Tray And Grate
- Housing Cooling
- Turntable 32 Cm Diameter

34



KMO20.5X^{new}

Microwave Grill, combined, 20 L.









Features:

- Microwave Distribution:turntable
- Interior Light
- Ready Menu
- Defrost By Weight
- Defrost By Time
- Electronic Clock
- +30 Sec
- Speed Cook
- Cooking End Signal
- Delay Protection

Functionality:

- Control System Electronic Control
- Timer 60 Min Electronic
- Grill 800 W
- Microwave 700 W

- Child Safety Lock
- · Cavity Material: Stainless Steel
- Volume(Litres):20
- Microwave Output(W):700
- Fuse Rating(A):10
- Included Accessories:
- 1x Glass Tray
 1x Turntable Ring
- 1x Assembly Grill Rack
- 5 Power Levels • Time Defrosting
- Multi-Stage Heating
- Children Safety Lock
- Stainless Steel Interior

- Dimensions And Loading Quantity:
- unit size

(W*D*H):595*330*376mm

- Built-In Dimensions(Hxwxd) (Mm):380x560x500
- Turntable Tray And Grate
- Black version





KMO25.5B new

Microwave Grill, combined, 25 L.









Features:

- Microwave Distribution:turntable
- Interior Light
- Ready Menu
- Defrost By Weight
- Defrost By Time
- Electronic Clock
- +30 Sec • Speed Cook
- Cooking End Signal
- Delay Protection

- Child Safety Lock Cavity Material: Stainless Steel
- Volume(Litres):25
- Microwave Output(W):900
 Grill output (W): 1200
- Fuse Rating(A):10
- Voltage And Frequency Code:e/
- Included Accessories:
- 1x Glass Tray
- 1x Turntable Ring
- 1x Assembly Grill Rack
- 5 Power Levels
- Time Defrosting
- Multi-Stage Heating
- · Children Safety Lock
- · Stainless Steel Interior

- Dimensions And Loading Quantity: Turntablediameter (Mm):315
- Cavity Dimensions(Hxwxd) •
- (Mm):208x330x369 Built-In Dimensions(Hxwxd)
- (Mm):380x560x500
- Gross Weight(Kg):21
- Net Weight(Kg):18
- 38 mm x 56 mm x 50 mm x 25l
- Turntable Tray And Grate
- Housing Cooling
- Turntable 32 Cm Diameter





Coffee Maker



KCM45.5X new

- Features :
 Fully automatic
- Full touch control
- Compatible with ground coffee and
- Electronic programmer with LCD
- 3 coffee strength settings Hot water and steam
- One or two cups
- Integral water tank: 1.8LIntegral coffee container: 0.2kg
- Low coffee warning

- Low water warning
- Steam nozzle
- Removable drip tray
 Adjustable grind setting
 Integrated coffee grinder
- Technical Specification
- Rated power: 1.35kW
- Power supply: 13APump pressure: 15Bar



KCM45X new

Features:

- Fully automatic
- Full touch control
 Compatible with ground coffee and
- Electronic programmer with LCD display

 • 3 coffee strength settings

 • Hot water and steam

- One or two cups
- Integral water tank: 1.8LIntegral coffee container: 0.2kgLow coffee warning

- Low water warningSteam nozzle
- Removable drip tray
 Adjustable grind setting
- Integrated coffee grinder
 Technical Specification
 Rated power: 1.35kW

- Power supply: 13APump pressure: 15Bar







AntiLeak Protection

Gas Cooktop & Auto Re-ignition

The FFD system on each burner will stop the flow of gas if the burner is not

lit; for your safety it cuts the connection to the gas line and at the same time

Some of our cooktop equipped with auto re-ignition system, If the flame acci-

dentally goes out, the cooking surface makes up to three attempts to re-ignite



With our HyperHeat extra powerful wok burner up to 6.0kw, cook variety of food faster.

Sometimes our hobs come with dual flame and control operation to enable you controlling such hyper speed and intensive dual burner separately.





turns off the burner.

SensiAct™

Enjoy all the features and functions of the SensiAct in you gas hob, it allows you to control the level of the burner, to set timer and let it automatically switch off, to re-ignite if the burner accidentally stop working, for three times the auto-recovery will attempt to re-ignite, if not, the AntiLeak gas system will do its role.





Cast iron pan stands


Our designed and dependable rigid iron pan stands provides you the professional cooking functions and the smart use of cooktop.



New Generation of Induction



The free zone induction hobs outsmart the regular in enabling you to heat multiple pans anywhere in the zone. The ceramic glass surface is fitted with multiple inductors which allow the pans to be placed where you please. And the best part is, you can actually cook multiple pans at the same uniform temperature or get the Freezone divided into two separate zones







The free zone induction hobs outsmart the regular in enabling you to heat multiple pans anywhere in the zone. The ceramic glass surface is fitted with multiple inductors which allow the pans to be placed where you please. And the best part is, you can actually cook multiple pans at the same uniform temperature or get the Freezone divided into two separate zones

InduRange



KI905RECZ new

90cm 5 induction zones cooktop, overheating

- Features:
 SensiAct™ Front control panel
 Overheating protector
 Residual heat indicator

- ChildLock

Product dimension(mm): 860x520x80

- 2200watt zone to 230mm diameter1800watt zone to 200mm diameter1200watt zone to 165mm diameter




KI9.51BS

90 CM INDUCTION - 1 Bridge - 5 zones.

- 4 induction zones (EGO G5 technology):
- 2 OCTA 2300 [3700] W
- 1 Ø145 mm 1400 [2200] W
- 1 Ø180 mm 1850 [3000] W
- •1 Ø260 mm 2600 [3700] W • 9 power levels + booster
- Capacitive FLEX touch control
- Total power 7400 W
- 1 bridge function
- Keep warm function / Pause / Recall function / Timer for each zone / Residual Heat Indicator / Child lock safety / Anti overflow device
- Quick heating and return to the selected

level Assisted cooking with 3 pre-set temperatures (melting slow cooking / simmering)

• Italian ELECTA Vitroceramic Glass



KI9.5R

90 CM INDUCTION - ROUND Control 5 zones.


- 5 induction zones
- (EGO Basic 2 technology):
- 2 Ø160 mm 1400 W
- 2 Ø200 mm 2300 [3000] W
- •1 Ø250 mm 2300 [3000] W
- 9 power levels + booster
- Capacitive touch control ROUND
- Total power 7400 W
- Keep warm function + Pause/recall function
- Timer for each zone
- · Residual Heat Indicator
- · Anti overflow device / Child lock safety
- Italian ELECTA Vitroceramic Glass



KI77.3BST

77 CM INDUCTION - SLIDER Control - 3 Bridge

- 6 induction zones (NEW EGO Basic 4 technology):
- 6 OCTA 2100 [3000] W
- 9 power levels + booster
- · NEW capacitive SLIM touch con-
- Total power 11100 W with power man-
- agement up to 1,0 kW
- 3 bridge function • Keep warm function + Pause/recall
- function
- · Automatic pot detection
- Timer for each zone · Residual Heat Indicator / Child lock
- safety
- Anti overflow device
- Italian ELECTA Vitroceramic Glass




KI77.41BST

77 CM INDUCTION - SLIDER Control - 1 Bridge

- 4 induction zones
- (Copreci G7 technology):
- 3 Ø145 mm 1200 [1600] W
- 1 Ø210 mm 1600 [2000] W
- 9 power levels + booster
- Infrared touch control SLIDER
- Total power 6800 W with power management up to 1,0 kW
- 1 bridge function
- Timer for each zone
- · Residual Heat Indicator
- · Anti overflow device

- Child lock safety
- Italian ELECTA Vitroceramic Glass

48 C



KI77.4TAN

77 CM INDUCTION - SLIDER Control

- 4 induction zones
- (Copreci G7 technology):
- 2 Ø145 mm 1200 [1600] W
- 2 Ø210 mm 1600 [2000] W • 9 power levels + booster
- Infrared touch control SLIDER
- Total power 7200 W with power manage-

ment up to 1,0 kW


- Pause / Recall function
- Timer for each zone
- Residual Heat Indicator
- · Anti overflow device
- Child lock safety
- Italian ELECTA Vitroceramic Glass



KI6.2BTAN

60 CM INDUCTION - 2 Bridge

- 4 induction zones (NEW EGO Basic 4 technology):
- 4 OCTA 2100 [3000] W
- 9 power levels + booster
- NEW capacitive SLIM touch control
- Total power 7400 W with power management up to 1,0 kW
- 2 bridge function
- Keep warm function + Pause/recall function
- Automatic pot detection
- Timer for each zone
- Residual Heat Indicator / Child lock
- Anti overflow device
- Italian ELECTA Vitroceramic Glass




Ki6.1BTAN

60 CM INDUCTION - 1 Bridge

- 4 induction zones (Copreci G7 technology):
- 3 Ø145 mm 1200 [1600] W
- •1 Ø210 mm 1600 [2000] W
- 9 power levels + booster
- · Infrared touch control SLIDER
- Total power 6800 W with power management up to 1,0 kW
- 1 bridge function
- · Timer for each zone

- · Residual Heat Indicator
- Anti overflow device
- Child lock safety
- Italian ELECTA Vitroceramic Glass



KI6.4TAN

60 CM INDUCTION

- 4 induction zones (Copreci G7 technology):
- 2 Ø145 mm 1200 [1600] W
- 2 Ø210 mm 1600 [2000] W
- 9 power levels + booster
- Infrared touch control STD
- Total power 7200 W with power management up to 1,0 kW
- Timer for each zone
- Residual Heat Indicator
- Anti overflow device
- Child lock safety
- Italian ELECTA Vitroceramic Glass

50 C



KI300

30cm 2 induction zones cooktop

Features:

- Type of finish: cut on edges
- SensiActTM Sliding Front control
- Mechanical Timer
- · Safety Child Lock
- Booster function

- Residual heat indicators
- Booster induction heating zone 18,0 cm (1,2/1,4 kW)
- Booster induction heating zone 22,0 cm (2,3/3,0 kW)
- Total Power: 3,7 kW



KI301

30cm 2 induction zones cooktop

Features:

- Type of finish: cut on edges
- SensiActTM Sliding Front control
 Mechanical Timer
- Safety Child Lock
- 9 POWER LEVELS
- · Residual heat indicators
- Warming Function
- Automatic Safety Cut-Out

- Pot Detection System
- Induction heating zone (3,0 kW)
- Induction heating zone (1,4 kW)
- Total Power: 4,4 kW



KVC900

90cm 5 Vitroceramic HiLight zones cooktop.

Features:

- Type of finish: Frameless
- SensiActTM Sliding Front control
- Mechanical Timer
- Elongated central zone
- 9 power levels
- Residual heat indicators
- · Automatic safety cut-out

- 2 x HiLight single heating zone (1,8 kW) HiLight dual heating zone (0,75/2,2 kW)

- 2 x HiLight single heating zone (1,2 kW)
 HiLight oval heating zone (1,1/2 kW)



KVC900.5VX


90cm 5 Vitroceramic HiLight zones cooktop.

Features:

- SensiAct Touch COntrol
- · Elongated central zone
- Double HiLight zone
- timer function
- 9 power levels
- · Residual heat indicators

- Automatic safety cut-out
- 2 x 1200W (single)
- •1 x 750/2200W (double)
- 1 x1100/2000W (oval)
- 2 x 1800W (single)

52 C C 53



KVC905

90cm 5 Vitroceramic zones cooktop, overheating protection.

Features:

- Type of finish: Frameless
- SensiActTM Front control
- Elongated central zone
- Double left zone
- Overheating protector
- · Residual heat indicator
- ChildLock

Product dimension(mm): 860x520x80

- HiLight dual heating zone 200mm Diameter (1,8 kW)
- HiLight single heating zone 230mm Diameter (2,2 kW)
 HiLight oval heating zone 165, 170mm Diameter (1,2/2,0 kW)
- 2 x HiLight single heating zone (1,2 kW)



KVC750

90cm 5 Vetro Ceramic zones cooktop, overheating protection.

Features:

- Type of finish : Cut on edges
- SensiActTM Front control
- Automatic heating reduction system
- 9 Power Level
- Time steering of cooking process
- · Residual heat indicators
- Child Lock

Product dimension(mm): 860x520x80

- HiLight single heating zone 18,0 cm (1,8 kW) • HiLight single heating zone 14.5 cm (1,2 kW)
- HiLight exdendable heating zone 17/17 x 26,5 cm (1,4/2,2 kW)
 HiLight triple heating zone 12/17.5/21 cm (0,7/1,5/2,3 kW)
- Total Power: 8,7 kw



KVC1400

60cm 5 Highlight Zones Vitroceramic Cooktop

Features:

- Type of finish: Cut on edges
- Mechanical Timer
- SensiActTM Sliding Front control
- Automatic heating reduction system
- Residual heat indicators

- HiLight single heating zone 18,0 cm (1,8 kW)
- HiLight dual heating zone 12/21 cm (0,75/2,2 kW)
- HiLight single heating zone 14.5 cm (1,2 kW)
- HiLight dual heating zone 12/18 cm (0,8/1,7 kW)
- Total power: 7.4 kW



KVC605

60cm 5 Highlight Zones Vitroceramic Cooktop

Features:

- Type of finish: Cut on front edge
- Mechanical Timer
- SensiActTM Front control
- · Automatic heating reduction system
- Residual heat indicators
- HiLight single heating zone 18,0 cm (1,8 kW)
- HiLight dual heating zone 12/21 cm (0,75/2,2 kW)
- HiLight single heating zone 14.5 cm (1,2 kW)
- HiLight exdendable heating zone 17/17 x 26,5 cm (1,4/2,2 kW)
- Total power: 7.4 kW

54 C C 55





KT9000B5

Type of finish: Vitroceramic K

Klugmann Design KT9000B5 90 cm Einbau-Vitroceramic -Gaskochfeld 5 Brenner und WOK 4kw

Hochwertiges Premium Kochfeld KT9000B5 Vitroceramic nicht Glas!!

EINBAU GASKOCHFELD: 90cm 5 Brenner, inkl. extremschnellen WOK-Brenner 4,0 KW!



ERDGAS/PROPANGAS Betrieb mit verschiedenen Gasarten. Das Gerät wurde werkseitig standardmäßig auf Erdgas eingestellt, kann aber auch mit Flüssiggas/ Propangas betrieben werden.

ZÜNDAUTOMATIK: Sie brauchen auf dem Gaskochfeld nur den Metall-Knopf zu drücken, und das Gas wird automatisch gezündet.

ZÜNDSICHERUNG: Durch einen Luftzug oder überlaufende Flüssigkeit kann die Gasflamme erlöschen, ein thermischer Fühler bricht dann automatisch die Gaszufuhr ab.

Knöpfe: aus Metall.

- 5 Kochzonen:
- 1 Ultraschnell Brenner mit 4000 W
- 2 Starkbrenner mit 2800 W
- 3 Normalbrenne reduziert mit 1400 W
- 4 Normalbrenne Brenner mit 1750 W
- 5 Hilfsbrenner mit 1000 W

Gas-Anschlusswert: 9,95 kW

Elektro-Anschlusswert: 0,1 kW (steckerfertig)



KT905.5BGL

90cm Gas vitroceramic Hob

Flat Burners - Make The Hob More Gracious, Aesthetic And More Easier To Keep Clean Ultra Rapid Burner -The Fastest Way To Heat Dishes Keeping Their Nutritional

- Type of finish: Vitroceramic K steering: knobs
- Under Knob electronic ignition
- AntiLeak Gas Protection system
- cast iron grids
- HyperHeat Gas WOK
- 6,4 cm small burner 1 kw
- 8,4 cm middle burner x2 2 kw
- 10,9 cm large burner 3 kw
- 12,9 cm ultra rapid 4 kw



KT900BGX

90cm 5 gas burner hob

- Cast Iron Grid
- Gas Detection and stop gas system
- Automatic Ignition Power Cord
- 5 Burners
- Center Front: Double Ring (4
- Rear Right: Rapid (2,80 Kw)
- Front Right: Auxiliary (1 Kw)
 Center Front: Semirapid (1,4 Kw)
- Center Rear: Semirapid (1,75 Kw)
- Width: 900 mm
- Depth: 510 mm



KT900BGL

90cm Gas vitroceramic Hob

Flat Burners - Make The Hob More Gracious, Aesthetic And More Easier To Keep Clean Ultra Rapid Burner -The Fastest Way To Heat Dishes Keeping Their Nutritional Value

- Type of finish: Vitroceramic K
- steering: knobs
- Under Knob electronic ignition
- AntiLeak Gas Protection system
- cast iron grids
- HyperHeat Gas WOK
- · Gas burners:

- 6,4 cm small burner 1 kw
- 8.4 cm middle burner x2 2
- 10,9 cm large burner 3 kw
- 12,9 cm ultra rapid 4 kw



C 59 58 C



KT9000BX3

90cm 5 gas burner hob

- Cast Iron Grid
- Gas Detection and stop gas
- system
- Automatic Ignition
- Power Cord
- 304 St. Steel Grade
- 5 Burners
- Center Left Outside: Double Ring (4 kw)

- Rear Right: Rapid (2,80 Kw) • Front Right: Auxiliary (1 Kw)
- Center Front: Semirapid (1,4 Kw)
- Center Rear: Semirapid (1,75 Kw)
 Width: 900 mm
- Depth: 510 mm





KT905XX

90cm Gas Hob

Flat Burners - Make The Hob More Gracious, Aesthetic And More Easier To Keep Clean Ultra Rapid Burner -The Fastest Way To Heat Dishes Keeping Their Nutritional

- Type of finish: SS
 steering: knobs
- Under Knob electronic ignition
- AntiLeak Gas Protection system
- cast iron grids
- HyperHeat Gas WOK
- Gas burners:

- 6,4 cm small burner 1 kw
- 8,4 cm middle burner x2 2
- 10,9 cm large burner 3 kw
- 12,9 cm ultra rapid 4 kw



KT905.5SX

90cm Gas Hob

Flat Burners - Make The Hob More Gracious, Aesthetic And More Easier To Keep Clean Ultra Rapid Burner -The Fastest Way To Heat Dishes Keeping Their Nutritional

- Type of finish: SS
- steering: knobs Under Knob electronic ignition
- AntiLeak Gas Protection system
- cast iron grids
- HyperHeat Gas WOK
- Gas burners:

- 6,4 cm small burner 1 kw
- 8,4 cm middle burner x2 2
- 10,9 cm large burner 3 kw
- 12,9 cm ultra rapid 4 kw

60 C



KT75.5X

90cm Gas Hob

Flat Burners - Make The Hob More Gracious, Aesthetic And More Easier To Keep Clean Ultra Rapid Burner -The Fastest Way To Heat Dishes Keeping Their Nutritional

- Type of finish: SS
- steering: knobs
- Under Knob electronic ignition
- AntiLeak Gas Protection system
- cast iron grids
- HyperHeat Gas WOK
- Gas burners:

- 6,4 cm small burner 1 kw
- 8,4 cm middle burner x2 2
- 10,9 cm large burner 3 kw
- 12,9 cm ultra rapid 4 kw













KT6000B5

60cm 4 gas burner vitroceramic Hob

- Type of finish: vitroceramic K steering: knobs
- AntiLeak Gas Protection system
- Under Knob electronic ignition
- cast iron grids

KT604.8BGL

60cm 4 gas burner hob

Flat Burners - Make The Hob More Gracious, Aesthetic And More Easier To Keep Clean Ultra Rapid Burner -The Fastest Way To

- Type of finish: SS steering: knobs
- system cast iron grids
- Under Knob electronic ignition
- HyperHeat Gas WOK
- AntiLeak Gas Protection

KT604.5BGL

60cm 4 gas burner vitroceramic Hob

Flat Burners - Make The Hob More Gracious, Aesthetic And More Easier To Keep Clean





- Type of finish: Vitroceramic K
- steering: knobs Under Knob electronic ignition
- AntiLeak Gas Protection system
- cast iron grids
- HyperHeat Gas WOK

C 65 64 C

KT604.5X

60cm 4 gas burner hob

Flat Burners - Make The Hob More Gracious, Aesthetic And More Easier To Keep Clean Ultra Rapid Burner -The Fastest Way To

Type of finish: SSsteering: knobs


• Under Knob electronic ignition

AntiLeak Gas Protection



cast iron grids

HyperHeat Gas WOK





KDF300X

- Fryer 30cm Customizable panel control
- Stainless steel surface
- Automatic ignition
- Cable with plug
- •Thermostat for a constant oil temperature control





KT604X

60cm 4 gas burner hob

Flat Burners - Make The Hob More Gracious, Aesthetic And More Easier To Keep Clean Ultra Rapid Burner -The Fastest Way To

- Type of finish: SS
- steering: knobs
- Under Knob electronic ignition
- AntiLeak Gas Protection system
- cast iron grids HyperHeat Gas WOK



KPBQ300X

- Barbecue hob 30cm
- Customizable panel control
- ·Stainless steel surface Automatic ignition
- Cable with plug

C 67 66 C



KT302BGL

- Features :
 Type of finish: Vitroceramic K
 Steering: knobs

- Under Knob electronic ignition
 AntiLeak Gas Protection system
- Cast iron grids

KVC300

30cm Vitroceramic high light hob with double zone
• Vitroceramic hob 30cm

- 2 high-light elements,1 double zone High-light element
 9 level touch control
 Maximum power 3.0kW

- Prime type ceramic cooktop
 Residual heat indicator
- · Fast and easy cleaning



KT301BGL

Features:

- HyperHeat Gas WOKType of finish: Vitroceramic KSteering: knobs
- Under Knob electronic ignition
 AntiLeak Gas Protection system
- Cast iron grids






KE300

30cm two hot plates cooktop
• Stainless steel hob 30cm

- 2 solid hot plates
- Customizable panel control
 Automatic ignition
- Cable with plug

C 69 68 C







AeroPure[™] technology is the system that allows you to breathe fresh air in the kitchen. An application that changes drastically the concept of cooker-hood.

It is based on advanced technology capable of completely purify the air from potentially harmful elements such as: viruses, bacteria, spores, fungi, mold, pollen, dust, but even cooking fat, smoke, fumes and odors. The air is cleaned and purified through a series of photo catalytic processes activated from non-materials.

A system patented and tested by important universities that make cooker hoods more effective. It is totally safe and the materials used are certified as non-toxic and non-allergic. Compared to other less advanced solutions, AeroPure™ Tech does not generate Ozone.

Advantages Of AeroPure™

Clean air, completely purified. Very low-noise in purifying mode. No connection pipe between cooker-hood

and outside. Real energy saving compared to a traditional cooker-hood.


No cleaning of system and low maintenance of filters.













The hood automatically comes on, operates and goes off, depending on the needs of the hub area. It can also operate by remote control, and most of KLUGMANN Rangehood operated by sensor control.





Service Indicator

It tells the user when the filters need to be cleaned or changed.









System that uses the entire perimeter of the hood to increase the extraction speed and capacity.



It guarantees a reduction of the noise level due to the working phase, yet it is still very powerful.







Thanks to the particles of active carbon, they absorb the molecules that cause unpleasant smells.



Feature that gives to the hoods similar look of s-steel with protected surface touch-proof.



H 73 72 H







Internal sensor that shows ambient temperature in the cooking area.



With our multimedia cooker hood which is equipped with a USB port and tow concealed loudspeaker you can cook and enjoy listening to your favorite music.





Looks exceptionally stylish with its smooth uninterrupted surface and is very easy to wash by hand or in the dishwasher. The patented filter sealing system, along with the flow-optimized multi-layer filter mats give an ultra-efficient grease separation level.





It regulates hood operations at top speed. After a few minutes the hood returns to the previously set speed or goes off.





The new LED lights offer a longer lifetime and use less energy than conventional halogen lighting. Additional convenience is offered with Soft Light which gently fades lighting in and out with dimmer function. Some of our cooker hoods designed with a rim LED Lighting framing the entire hood.

74 | H

BRUSHLESS DC MOTORS BLDC MOTORS

Most of Klugmann range hood equipped by Brushless DC motors. We use BLDC because of their high power density, good speed-torque characteristics, high efficiency, low maintenance and more energy saving products to global markets whilst being perfectly aligned with ECODESIGN directive of the EU

UV PCO Filter

for Air Purification

- · Let's have a look, why we use a cooker hood in our kitchens? Certainly because we want to evacuate heat-polluted air and cooking odors. Now Klugmann presents revolutionary solution to serve this purpose. It is Photo-Catalytic Oxidation technology adapted to cooker hoods in the form of filter.
- UV PCO is in general an air purifier that uses activated carbon, photocatalytic oxidation and ultraviolet light to remove odors and kill millions of airborne bacteria, viruses and mold. Activated carbon is well known for its ability to adsorb odor, smoke — all types of airborne organics. And now the UV PCO filters set out to create a kitchen air purifier that would take advantage of the properties of activated carbon, as well as disinfect the air and HVAC surfaces.
- UV PCO filter not only enables the cooker hood to deal with ALL cooking odours but also utilizes the product to sterilize the kitchen. It has a very fast payback as it turns cooker hoods into recirculating hoods and saves on energy costs.



Oxidation (UV PCO) Filter Works:

Photo-Catalytic oxidation (PCO) is achieved when you combine UV light rays with a NANO Titanium Dioxide (TiO2) coated filter. This process creates hydroxyl radicals and super-oxide ions, which aggressively combine with other elements in the air, such as microbes (bacteria, viruses, mold and fungi) and all other airborne harmful pollutants .Once bound together, the chemical reaction takes place between the super-charged ion and the pollutant, effectively "oxidizing" (or burning) the pollutant. This breaks the pollutant down into harmless carbon dioxide and water molecules, making the air radically more





Venus

90cm Wall Mounted Inspired round lighting glass cooker

Venus Hood's Engine power 850 m3 / h.

A high efficacy of concentrated suction around a perfect circle. When the hood is on the center ring lights on the perimeters to create a brilliant aesthetic effect. The frontal plane is lifted completely to facilitate the operations of cleaning and













- · Material: black or white glass, frame with circle and satin stainless steel chimney
- · Controls touch pad backlit
- · 4 speed with intensive functions, timer, auto power off, display cleaning and filter

replacement

- · LED light high brightness and low power consumption 2x3W
- · Perimeter suction on the circumfer-
- Max Pressure: 560 Pa

- Max noise level: 62 dB
- Power 310 W
- Exit hole diameter 150 mm with non-return valve
- Ducting version Filter
- · Grease filter: Aluminium washable multilayer
- · Filter odor: 2 sides motor activated charcoal (Optional)
- Hi-Filter: available (Optional)
- Stainless steel chimney kit (Optional).

Cupid

90cm Wall Mounted Inspired double black glass cooker hood

Cupid is equipped with efficient motors 850 m3 / h dedicated to low-power, LED lights and touch pad.









- · Material: black glass, painted frame, fireplace and frame in satin stainless
- Controls: touch pad backlit
- Features: 4-speed with int., Timer, auto power off
- · Light: LED high brightness and low power consumption 2x3W
- Perimeter Aspiration rectangular
- · Hole dia. Output: 150 mm with check valve

- · Version: aspirant Filter
- Filter grease aluminum multilayer washable
- Odor filter: 2 sides motor activated carbon
- Hi-Filter available
- · Stainless steel chimney kit included,
- Activated carbon filters (Optional)





Linus

90cm Multi-media Wall Mounted Inspired cooker

Linus Wall Hood 90 cm. Engine power 850 m3 /

A unique product that creates a pleasant atmosphere while you're in the kitchen. A hood very efficient with the convenient built-in commands to a radio. Two loudspeakers inductive guarantee quality and total reliability over time for a perfect listening.
















- Touch pad controls with backlit display
- 4 speed with intensive functions, timer, auto power off, display cleaning and filter replacement
- Function Fm Radio with built-in 2 speakers on the sides inductive
- · LED light high brightness and low power consumption 4W
- Double suction horizontal linear with opening panel
- Max Pressure: 560 Pa

- · Max noise level: 62 dB
- Power 310 W
- Exit hole diameter 150 mm with non-return valve
- · Ducting version Filter
- · Grease filter: Aluminium washable multi-
- Odor filter: 2 sides motor activated charcoal (Optional).
- Hi-Filter: available (Optional)
- · Stainless steel chimney kit included



Doris 2

90cm Wall Mounted Inspired vetro cooker hood Doris is equipped with efficient motors 1200 m3 / h dedicated to low-power, LED lights and touch pad. A unique product that creates a pleasant atmosphere while you're in the kitchen.

A hood very efficient with the convenient built-in commands to a radio. Two loudspeakers inductive guarantee quality and total reliability over time for a perfect listening.

















- · Aluminum filter with metal housing
- Soft closing system
- · Easy Mounting hanger design
- Black Glass
- · remote control
- 90cm/60cm
- Wall Mounted Hood
- 1.200 m3/h capacity SuperPower Italian motor
- · Patent Pending Super Silent Dual Fan
- · XL cavity for more stable and extra

power

- · PowerPlus Metal Motor Cabinet
- · Metal fan cover
- · Touch control with Color TFT Display
- 6 power levels
- LED lighting
- · Illumination power level control
- Auto operation
- · Sensor control

Uranus

90cm Wall Mounted Inspired double black glass cooker hood

Uranus 90 cm. Engine power 850 m3 / h. A highly evolved product created for the most pop



ular and modern kitchens. A design that gives the environment a great personality, the hood has two levels of intake, one vertical and one horizontal.















- · Material: frame, fireplace and glass front
- white or black "stopsol"
- · Multi-function electronic control commands
- 4 speed with intensive functions, timer. auto power off, display cleaning and filter replacement
- Light 2x20W halogen spotlights
- · Double extraction of the horizontal and vertical
- Max Pressure: 560 Pa
- · Max noise level: 62 dB

- Power 310 W
- Exit hole diameter 150 mm with non-return
- · Ducting version Filter
- · Grease filter: Aluminium washable multilayer
- · Odor filter: 2 sides motor activated charcoal (Optional)
- · Stainless steel chimney kit (Optional).



90cm Wall Mounted Inspired double black glass cooker hood

Wall Hood Karpo, 90 cm with engine from 850 m3 / h. with double perimeter suction

The panel is raised to facilitate the operations of cleaning and maintenance. The model is equipped with efficient motors dedicated to low-power, LED lights and electronic control.

















- · Material: brushed stainless steel frame and chimney and painted
- · Controls: electronic push-button backlit
- Features: 4-speed with intensive, timer, automatic shutdown, cleaning and filter replacement indicator
- · Light: LED high brightness and low power consumption 2x3W
- Intake: On Double Loop
- Max Pressure: 560 Pa
- · Max noise level: 62 dB

- · Power: 270 Watts
- Exit hole diameter: 150 mm with non-return
- · Version: aspirant Filter
- Complete with aluminum grease filters and chimney kit painted.
- · Accessories sold separately:
- Activated carbon filters
- Odor filter washable Hi-Filter
- · Ability to equip the hood system Freshen-Tech, innovative air freshener built into the

80 H

Bianca

90cm Wall Mounted Inspired Vetro-Inox cooker ha Bianca Engine power 850 m3 / h.

A hood from the large frontal area and an expanded scope of aspiration.

The front glass is lifted completely for easy cleaning and maintenance.













- · Material: frame, fireplace in brushed stainless steel with black glass panel
- Electronic push-button controls with display
- 4 speed with intensive functions, timer, auto power off, display cleaning and filter replacement
- · LED light high brightness and low power consumption 7W
- · Perimeter Aspiration with extended opening panel
- Max Pressure: 560 Pa
- Max noise level: 62 dB
- Power 310 W



- Exit hole diameter 150 mm with non-return valve
- Ducting version Filter
- · Grease filter: Aluminium washable multilayer
- Filter odor: 2 sides motor activated charcoal (Optional).
- Hi-Filter: available (Optional)
- · Stainless steel chimney kit (Optional).



- · Material: black or white tempered glass, stainless steel chimney
- · Controls: touch pad backlit
- Features: 4-speed with intensive, timer, automatic shutdown, cleaning and filter replacement indicator
- · Light: LED high brightness and low power consumption 2x3W
- · Aspiration: Perimeter
- Max Pressure: 560 Pa
- Max noise level: 51-63 dB
- Power: 250 Watts

90cm Wall Mounted Inspired vetro cooker hood Gaspra is equipped with efficient motors 1200 m3 / h dedicated to low-power, LED lights and touch pad.











- Exit hole diameter: 150 mm with non-return valve
- · Version: aspirant Filter
- · Complete with aluminum grease filters and chimnev kit painted.
- Activated carbon filters
- Remote Control
- · Colors: Black, White.













- Full Electronic Touch Control • 2 x 6w LED Strip Lighting
- Independent Lighting Control
- 4 speed with Induction Control • For Ducted Applications only

90cm Wall Mounted Inspired glass cooker hood

Egeria is equipped with efficient motors 1200 m3 / h dedicated to low-power, LED lights and touch pad.

- Ducting: 150mm • Filters: 10mm Stainless Baffle
- · Size: 900mm wide
- Airflow: 1200m3/h

- · Material: Body hood in brushed stainless
- Controls 5-button backlit keypad electronic
- Features 4-speed with intensive
- Light 1x20W halogen spotlights high brightness
- · Perimeter Aspiration with opening panel
- Max Pressure: 560 Pa
- Max noise level: 62 dB
- Power 310 W



36cm Wall Mounted Inspired Round Inox cooker hood

Urania 36 cm. Engine output 700 m3 / h. The elegant cylinder shape for a hood with attention to detail. It offers a touch of style in many kinds of cuisines. It is equipped with electronic control, halogen spotlight and the latest generation engines.


















- Ducting version Filter
- Grease filter: multi-layer washable aluminum
- · Odour filter: 2 sides motor active carbon (Option-



Exceptio

EXCEPTIO 90cm Wall Mounted Inspired white and black glass/ inox cooker hood EXCEPTIO equiped with German engine with capacity of 850m3 /h.

- · Material: Tempered Glass mat with stainless steel
- Controls: Touch Control
- Features: 4 speed, Intensive, Timer
- · Light: LED high brightness and low power consumption 2x3W
- Max Pressure: 560 Pa
- Power: 230W



- Exit hole diameter: 150 mm with non-return valve
- · Filter Version: 5 Layer Aluminium cassette grease filter
- Activated carbon filters, optional UV PCO Filter



- · Material: Tempered Glass mat with stainless steel
- Controls: Touch Control
- Features: 4 speed, Intensive, Timer
- · Light: LED high brightness and low power consumption 2x3W
- Max Pressure: 560 Pa
- Power: 230W

CONCEPTU 90cm Wall Mounted Inspired black CONCEPTU equiped with German engine with capac-

- sette grease filter
- · Activated carbon filters, optional UV



- Material: Tempered Glass Black & White with stainless steel
- Controls: Touch Control
- Features: 4 speed, Intensive, Timer
- · Light: LED high brightness and low power consumption 2x3W
- Max Pressure: 560 Pa
- Power: 230W

Magica

MAGICA 90cm Wall Mounted Inspired black glass/ inox cooker hood MAGICA equiped with German engine with capacity of 850m3 /h.

- Exit hole diameter: 150 mm with non-return valve
- Filter Version: 5 Layer Aluminium cassette grease filter
- Activated carbon filters, optional UV PCO Filter



- Exit hole diameter: 150 mm with non-return valve
- Filter Version: 5 Layer Aluminium cas-
- PCO Filter



LUXUS 90cm Wall Mounted Inspired black glass/ inox cooker hood Luxus equiped with German engine with capacity of 850m3 /h.

- · Material: Tempered Glass with stainless steel
- Controls: Touch Control
- Features: 4 speed, Intensive, Timer
- · Light: LED high brightness and low power consumption 2x3W
- Max Pressure: 560 Pa
- Noise level dBA (450m3/h): 60



- Power: 230W
- Exit hole diameter: 150 mm with non-return valve
- Filter Version: 5 Layer Aluminium cassette grease filter
- Activated carbon filters, optional UV **PCO Filter**

90cm Wall Mounted Inspired black vetro cooker hood.OPTIMUS is equipped with efficient German motors 850 m3 / h dedicated to low-power, LED lights and touch pad.

- · Material: black or white tempered glass, stainless steel chimney
- · Controls: touch pad backlit
- Features: 4-speed with intensive, timer, automatic shutdown
- · Light: LED high brightness and low power consumption 2x3W
- Aspiration: Perimeter
- Max Pressure: 560 Pa
- Max noise level: 51-63 dB



- Power: 250 Watts
- Exit hole diameter: 150 mm with non-return valve
- Version: aspirant Filter
- · Complete with aluminum grease filters and chimney kit painted.
- Activated carbon filters
- · Colors: Black, White.



- Material: Tempered Glass with stainless steel and black painted chimeny
- Controls: Sliding Touch Control
- Features: 5 speed with intensive, timer, automatic shutdown, cleaning and filter replacement indicator
- · Light: LED high brightness and low power consumption 2x3W
- Max Pressure: 560 Pa
- Max noise level: 60 dB

- Exit hole diameter: 150 mm with non-return valve
- Filter Version: 5 Lyer Aluminium cassette grease filter
- Activated carbon filters, optional UV PCO Filter



- Controls: Touch Control
- · Features: 5 speed, Intensive, Timer, remote control
- · Light: LED high brightness and low power consumption 2x3W
- Max Pressure: 560 Pa
- Noise level dBA (450m3/h): 60
- Power: 230W

Gradus

Gradus 90cm Wall Mounted Inspired black glass/ inox cooker hood Wall Hood Gradus equiped with engine with capacity of 850 m3 / h.

- Exit hole diameter: 150 mm with non-return valve
- Filter Version: 5 Lyer Aluminium cassette grease filter
- Activated carbon filters, optional UV PCO Filter
- Contentious 24h ventilation



• Power: 230 Watts

- · Contentious 24h ventilation

90cm Wall Mounted Inspired cooker hood Wall Hood Plenum, 90 cm with engine from 850 m3 /h. The model is equipped with efficient motors dedicated to low-power, LED lights and electronic control.

- · Material: brushed stainless steel with black tembered glass
- Controls: Touch Control
- · Features: 5 speed with timer
- · Light: LED high brightness and low power consumption 2x3W
- Max noise level: 62 dB
- Power: 230 Watts
- Exit hole diameter: 150 mm with non-return valve



- Version: aspirant Filter
- Complete with 5 layer aluminum grease filters and chimney kit painted.
- Accessories sold separately:
- Remote control
- · Activated carbon filters and Odor filter washable Hi-Filter

90cm Wall Mounted Inspired black cooker hood Wall Hood PLANUS, 90 cm with engine from 830 m3 / h.The model is equipped with efficient motors dedicated to low-power, LED lights and electronic control.

- High Efficiency motor 830 m3/h
- XL cavity for more stable and extra power suction
- PowerPlus Metal Motor Cabinet
- Metal fan cover
- · Tactile control with centralized LED display
- 5 level power control
- Booster function
- · LoopTouch Control with middle LED display
- Illuminated logo
- Extra Clear flush panel LED lighting



- · Dimmer effect in lighting
- Soft Closing System
- · Aluminum filter with metal housing
- Easy Mounting hanger design
- Black Glass
- · remote control White
- Ability to equip the hood system FreshenTech, innovative air freshener built into the hood.
- Motor Power: 125W · Speed Settings: 3
 - Performance m3/h: 850
 - Noise dBA (400 m3/h): 58



60 & 90cm Wall Mounted Inspired double black glass cooker hood

Artifex is equipped with efficient motors 850 m3 /h dedicated to low-power, LED lights and touch pad.

- Light Type: LED
- Filter Type: 5 layer Aluminium Cassette Filter
- · Optional UV PCO Filter: Availablr



- High Efficiency motor 830 m3/h
- •XL cavity for more stable and extra power suction
- PowerPlus Metal Motor Cabinet
- Metal fan cover
- Tactile control with centralized LED display •5 level power control
- Booster function
- LED lighting
- Color Metal Decor Filter
- Aluminum grease filter with metal housing
- · Easy Mounting hanger design

Ramp

Miranda is equipped with efficient motors 1200 m3 / h dedicated to low-power, LED lights and touch pad. Miranda is equipped with efficient motors 1200 m3 / h dedicated to low-power, LED lights and touch pad.

- Filter Saturation Indicator
- · Aluminum Design with Shiny White finish
- · Metal Decor Filter (Red, Brass, Green, White, Black,
- Emerald) Body (Black, White, Silver)
- · Ability to equip the hood system FreshenTech, innovative air freshener built into the hood.

Rectus

90cm Wall Mounted Inspired cooker hood Wall Hood Rectus, 90 cm with engine from 800 m3 / h. with touch control. The model is equipped with efficient motors dedicated

to low-power, LED lights and electronic control.

- · Material: brushed stainless steel with black tempered glass
- · Controls: Touch Control
- · Features: 4-speed with intensive, timer,
- automatic shutdown.
- · Light: LED high brightness and low power consumption 2x3W
- Max Pressure: 590 Pa
- Max noise level: 67 dB
- Power: 270 Watts
- Exit hole diameter: 150 mm with non-return valve



- · Version: aspirant Filter
- Complete with aluminum grease filters and chimney kit painted.
- · Accessories sold separately:
- Activated carbon filters
- · Odor filter washable Hi-Filter
- · Ability to equip the hood system FreshenTech, innovative air freshener built into the hood.

88 H H 89

KH9850X

90cm Wall Mounted Pro Flat cooker hood, Engine output 850 m3 / h.



- Material: Stainless steel
- Extraction Capacity 850m3/h
- Controls touch pad backlit
- Speeds 5
- Filter Type: 5 Layer Aluminium Cassette Filter
- Filter Changing Indicator Available
- Switched Off Timer
- Motor Power 230W
- · Halogen Light spots 20w
- Max noise level: 58 dB

- •120 mm diameter outlet hole with non-return valve
- Continuous 24 Hour Ventilation: Available
- Ducting version filter
- Grease filter: 1 Stainless steel washable filter
- Remote Control (Optional)
- Optional UV PCO Filter: Available



KH9650SC X

90cm Wall Mounted Pro Curved Glass cooker hood Wall Hood 90 cm. Engine output 800 m3 / h.









- 150 mm diameter outlet hole with non-return valve
- Ducting version filter
- Grease filter: multi-layer washable aluminum
- Odour filter: a single active carbon (Optional)
- Hi-Filter: available (Optional).

KH900X / KH600X

90/60cm Wall Mounted cooker hood



- Extraction Capacity: 650m3
- Material: stainless steelFeatures: 3-speed
- Aspiration: PerimeterMax Pressure:
- 560 PaMax noise level: 51-63 dBPower: 250 Watts
- Extraction Capacity: 650m3
- · Material: stainless steelFeatures: 3-speed
- Aspiration: PerimeterMax Pressure: 560 PaMax noise level: 51-63 dBPower: 250 Watts
- Exit hole diameter: 150 mm with non-return valve

· Material: Stainless steel with curved glass.

- Multi-function electronic push-button controls
- 4 speed with intensive functions, timer, auto power off, display cleaning and filter replacement
- · LED light high brightness and low power consumption 7W
- Extended suction on lower floor
- Max Pressure: 560 Pa • Max noise level: 62 dB
- Power 310 W

90 H



- · Material structure and fireplace in satin stainless steel, curved front glass floors and white
- Controls 5-button backlit keypad electronic
- · Features 4-speed with intensive
- · Halogen light with high brightness on the lower floor and 2 floors between the front 10X20W
- Perimeter Aspiration
- Max Pressure: 560 Pa

Harmonia

90cm Inspired Island cooker hood

Harmonia Engine output 850 m3 / h.

An exclusive island hood characterized by the double stainless steel or Vetro top. A system of lights with 10 lights illuminates properly the hob and the surrounding









- · Max noise level: 62 dB
- Power 310 W
- 150 mm diameter outlet with non-return valve
- Ducting version-filtering
- Grease filter: multi-layer washable aluminum
- · Odour filter: 2 sides suction activated carbon (Optional)
- · Hi-Filter: available (Optional).

Thalia

40cm Island cooker hood

Triton Island hood 90cm. Engine output 850 m3 / h.

A central band in steel with rounded corners and a double horizontal plane in black glass. The perimeter extraction integrated into the glass as the Led light make this island cooker hood very effective and practice in cleaning. The motor can be removed from the structure and positioned up to 6 meters from the cooker hood.

















- · Material frontal and chimney in scotch brite Ststeel, horizontal plansin black glass
- · Commands button panel multifunction electronic controls
- Features 4 speed with int., timer, automatic switch off, indication for washing and replace of filters
- · LED light high brightness and low power consumption and 4x3W LED running lights on all 4 sides



- · Perimeter Aspiration with removable panel
- 150 mm diameter outlet with non-return valve
- · Filter or ducting
- Grease filter: multi-layer washable aluminum
- Charcoal Filter 1 attached to the aluminium filter
- · Hi-Filter (Optional).

BLANDO

40cm Inspired Island cooker hood

- Material structure and fireplace in satin stainless steel, curved front glass floors and white stopsol
- Controls 5-button backlit keypad electronic
- Features 4-speed with intensive
- Halogen light with high brightness on the lower floor and 2 floors between the front 10X20W
- · Perimeter Aspiration
- Max Pressure: 560 Pa
- · Max noise level: 62 dB
- Power 310 W
- 150 mm diameter outlet with non-return valve
- · Ducting version-filtering
- Grease filter: multi-layer washable aluminum
- Odour filter: 2 sides suction activated carbon (Optional)
- · Hi-Filter: available (Optional).





· Material structure in satin stainless steel, and

· LED light high brightness and low power con-

· Perimeter Aspiration with removable panel

sumption and 4x3W LED running lights on all 4

• Commands button panel 5 backlit keys

• Features 4-speed with intensive

glass diffusers

Marimba

40cm Island cooker hood

Marimba Island hood 60x60 cm. Engine output 850 m3 / h.

A model of the series hanging in steel and glass diffusers on the sides. A cube that lights up on the surfaces creating the effect of a lamp environment. Easy to install











- Max Pressure: 560 Pa · Max noise level: 62 dB
 - Power 310 W
 - 150 mm diameter outlet with non-return valve
 - Filter Version
 - Grease filter: multi-layer washable aluminum
 - · Odour filter: a single active carbon (Optional)
 - · Hi-Filter: available (Optional).

92 H H 93



Opera

90cm Island cooker hood

Opera 90x60cm Island. Engine output 700 m3 / h.

An island hood linear with squared corners and a glass both on the front and bottom to create a plan

perimeter aspiration easy to clean. In the version with the white glass front lights during operation of












- Max noise level: 62 dB
- Power 310 W
- 150 mm diameter outlet with non-return valve
- · Ducting version-filtering
- Grease filter: multi-layer washable aluminum
- Odour filter: a single active carbon (Optional)
- Hi-Filter: available (Optional)



· Controls touch pad backlit

· LED light high brightness and low power consumption 14W

· Material structure and fireplace in satin stain-

less steel, glass front and bottom black or white

- · Perimeter Aspiration with opening panel
- Max Pressure: 560 Pa



Croton

90cm Pro cooker hood

Croton 90x30 cm version with engine 850 m3/he.











- Material: Stainless steel AISI 430 + glass
- Controls: Remote Control
- Features: 4-speed + Timer
- · Light: LED high brightness and low power consumption 2x6.5W
- Aspiration: Perimeter enlarged

- Max Pressure: 560 Pa
- Max noise level: 62 dB
- Power: 270 Watts
- Exit hole diameter: 150 mm with non-return
- Filter:anodized aluminium (5+1 layers)

Available colors of the glass: BLACK and WHITE



40cm Island cooker hood

Hestia Island hood from 60x40 cm. Engine output 850 m3 / h.











- · An elegantly shaped hood with glass surfaces · white. Reliable and solid is equipped with electronic control, low-consumption LEDs.
- · Body Material hood with white glass bottom floor in satin stainless steel
- Controls 5-button backlit keypad electronic
- Features 4-speed with intensive
- LED light high brightness and low power consumption 6x1W
- · Perimeter Aspiration with opening panel

- Max Pressure: 560 Pa
- Max noise level: 62 dB
- Power 310 W
- 150 mm diameter outlet with non-return valve
- · Ducting version-filtering
- Grease filter: multi-layer washable aluminum
- Odour filter: 2 sides suction activated carbon (optional)
- Hi-Filter: available (optional).

94 H





120cm Inspired Island cooker hood Island hood 120x60 cm. Engine output 850 m3 / h.

A ceiling model that collects and leaves exposed the steel floor. The panels are opened for easy cleaning and maintenance. A handy remote control allows full control of functions. 2 powerful LED lights lines













- · Material visible structure in satin stainless steel
- Controls with Remote Control
- Features 4-speed with intensive
- LED light high brightness and low power consumption 14W
- · Perimeter Aspiration with triple opening panel
- Max Pressure: 560 Pa

- Max noise level: 62 dB`
- Power 310 W
- 150 mm diameter outlet with non-return valve
- Ducting version-filtering
- Grease filter: multi-layer washable aluminum
- Odour filter: 2 sides suction activated carbon (Optional)
- Hi-Filter: available (Optional).



90cm Inspired Ceiling cooker hood

Ceiling hood from 90 cm. Engine output 850 m3 / h.

A totally new model right by the double horizontal black glass and a central band in stainless steel. A system of LED lights illuminates the cooktop properly













- · Material: brushed stainless steel frame and fireplace, floors upper and lower horizontal black glass
- Remote control
- 4 speed with intensive functions, timer, auto power off, display cleaning and filter replace-
- · LED light high brightness and low power consumption 7W
- Extended suction on lower floor

- Max Pressure: 560 Pa
- Max noise level: 62 dB
- Power 310 W
- 150 mm diameter outlet with non-return valve
- Ducting version Filter
- Grease filter: multi-layer washable aluminum
- Odour filter: 2 sides suction activated carbon (Optional)
- Hi-Filter: available (Optional).



Serenade

90cm Inspired Ceiling cooker hood

Ceiling hood from 125x105 cm. Engine output 850 m3 / h.

A ceiling model that collects and leaves exposed the glass and steel. The panels open like a book for easy cleaning and maintenance. A handy remote control allows full control of functions. 4 powerful LED lights.















- Material visible structure in brushed stainless and black or white glass or glass / stainless version
- · Controls with Remote Control
- Features 4-speed with intensive
- · LED light high brightness and low power consumption 28W
- Perimeter suction with double opening panel
- Max Pressure: 560 Pa
- Max noise level: 62 dB

- Power 310 W
- 150 mm diameter outlet with non-return valve
- Ducting version-filtering
- · Grease filter: multi-layer washable aluminum
- Odour filter: 2 sides suction activated carbon (Optional)
- Hi-Filter: available (Optional).

98 H H 99



Symphony

90cm Inspired cooker hood

Symphony from 90x61 cm. Engine output 850 m3 / h.

A ceiling model with all the visible structure that does not require the installation flush. The sides of the hood are made of glass of white color. A great plan from light to light the entire base of the kitchen.















- · Material visible structure in satin stainless steel, white glass side surfaces
- Controls with Remote Control
- Features 4-speed with intensive
- · LED light high brightness and low power consumption 17W spread on the floor
- Perimeter Aspiration enlarged with opening top
- Max Pressure: 560 Pa
- Max noise level: 62 dB
- Power 310 W

- 150 mm diameter outlet with non-return valve
- Ducting version-filter with stainless steel frame
- Grease filter: multi-layer washable aluminum
- Odour filter: 2 sides suction activated carbon (Optional)
- Hi-Filter: available (Optional).



Moonlight

90cm Inspired Ceiling cooker hood

Multimedia Ceiling hood 120cm. Engine output 850 m3 / h.

A totally new model right by the double horizontal black glass and a central band in stain-

system of LED lights illuminates the cooktop properly















- Size 120×50 cm
- Material: body painted, black and frosted glass
- Remote control
- 4 speed with intensive functions, timer, auto power off, display cleaning and filter replace-
- Extraction large perimetral with openable panel
- · LED light high brightness and low power consumption 7W
- Max noise level: 62 dB

- Power 310 W
- 150 mm diameter outlet with non-return valve
- Ducting version Filter
- Grease filter: multi-layer washable aluminum
- · Radio frequency with remote control.
- Odour filter: 2 2 filters on sides of motor (Optional)
- Hi-Filter: available (Optional).







All our dishwasher models fitted with a third rack, furnishing these dishwashers with greater load flexibility up to 14 place settings. This third rack can be arranged in 4 different ways depending on your needs. For example in a two-height load you can lower one half for high glasses and use the other for cutlery or coffee cups.



All our dishwasher models fitted with a third rack, furnishing these dishwashers with greater load flexibility up to 14 place settings. This third rack can be arranged in 4 different ways depending on your needs. For example in a two-height load you can lower one half for high glasses and use the other for cutlery or coffee cups.









Fully Integrated Dishwasher





KD600

KD605

60cm A++ fully integrated dishwasher, 12 place settings, 2/3 baskets and 6 wash programs














• Energy Consumption (KWH) : 299 • Water Consumption (L) : 3500

- Energy Efficiency (EN50242): A++
- Cleaning Efficiency : A Drying Efficiency : A
- Noise Level: 49dB(A)
- Programs Intensive - Normal - Eco 1 Hour Express - Glass - Rapid

- Delay Start : 24 hours
- Third Layer Cultery Basket : optional
- Half Load : yes
- Height adjustable upper basket : yes





KD450.1



45cm A++ fully integrated dishwasher with ExtraLoad Tub, 9 place settings, 2 baskets, 6 wash programs











- Capacity (place settings): 9
- Energy Consumption (KWH): 240
- Water Consumption (L): 2900
- Energy Efficiency (EN50242) : A++
- Cleaning Efficiency : A
 Drying Efficiency : A
- Noise Level: 49dB(A)
- Programs

Intensive - Normal - Eco 1 Hour Express - Glass - Rapid

- Delay Start : 24 hours
- Third Layer Cultery Basket : optional
- Half Load : yes
- Height adjustable upper basket : yes

106 DW

Integrated Dishwasher



KD600X













- Capacity (place settings): 12
- Energy Consumption (KWH): 299
- Water Consumption (L): 3500
- Energy Efficiency (EN50242) : A++
- Cleaning Efficiency : A
- Drying Efficiency : A
- Noise Level: 49dB(A)
- Programs Intensive - Normal - Eco 1 Hour Express - Glass - Rapid - Soak

- Delay Start : 24 hours
- Third Layer Cultery Basket : optional
- Half Load : yes
- Height adjustable upper basket : yes



KD450X











45cm integrated dishwasher with 9 place settings, 2 layer baskets and 1 cutlery basket, 6 wash programs

- Capacity (place settings): 9
- Energy Consumption (KWH): 299
- Water Consumption (L): 3500
- Energy Efficiency (EN50242) : A++
- Cleaning Efficiency : A
- Drying Efficiency : A
- Noise Level: 49dB(A)
- Programs

Intensive - Normal - Eco

1 Hour Express - Glass - Rapid - Soak

- Delay Start : 24 hours
- Third Layer Cultery Basket : optional
- Half Load : yes
- Height adjustable upper basket : yes

108 DW



KD600.5X













60cm integrated dishwasher with dualzone wash and 12 place settings, 2 layer baskets and 1 cutlery basket, 8 wash programs

- Capacity (place settings) : 12 Energy Consumption (KWH) : 299
- Water Consumption (L): 3500
- Water Consumption (L): 3500
 Energy Efficiency (EN50242): A++
 Cleaning Efficiency: A
 Drying Efficiency: A

- Noise Level : 49dB(A)
- Programs
- Intensive Normal Eco
- 1 Hour Express Glass Rapid Soak

- Delay Start : 24 hours
 Third Layer Cultery Basket : optional
- Half Load : yes
- Height adjustable upper basket : yes



KD450.5X












45cm integrated dishwasher with 9 place settings, 2 layer baskets and 1 cutlery basket, 6 wash programs

- Capacity (place settings) : 9 Energy Consumption (KWH) : 299
- Water Consumption (L): 3500
- Energy Efficiency (EN50242) : A++
- Cleaning Efficiency : A
 Drying Efficiency : A
- · Noise Level: 49dB(A)
- Programs
- Intensive Normal Eco
- 1 Hour Express Glass Rapid Soak

- Delay Start : 24 hours
 Third Layer Cultery Basket : optional
- Half Load : yes
- Height adjustable upper basket : yes

110 DW





KCI325 / INTEGRATED WASHER LAUNDRY

- FEATURES

 SPIN SPEED: 1400RPM

 WASH LOAD: 7KG

 16 PROGRAMMES

 VARIABLE SPIN SPEED

- VARIABLE SPIN SPEED
 LED DISPLAY
 ACOUSTIC SIGNAL FOR END OF PROGRAMME
 VARIABLE WASH TEMPERATURE
 STAINLESS STEEL DRUM

- CHILD LOCK
 SPIN SPEED
 CHILD LOCK

- ENERGY RATING : A+++
- WASH RATING: A
- SPIN RATING: B
- ENERGY CONSUMPTION PER
- YEAR: 175KW.H
- WATER CONSUMPTION PER YEAR:

• DELICATE • WOOL

• DRAIN ONLY
• SPIN ONLY

• RINSE & SPIN

• HAND WASH

• MY CYCLE

PROGRAMMES

- COTTON INTENSIVE
- COTTON 60° COTTON 40°
- COTTON 20°
- QUICK 15?
- BABY CARE
- SPORTS
- SYNTHETIC
- MIXED

- TECHNICAL SPECIFICATION
- RATED ELECTRICAL POWER: 2KW
- POWER SUPPLY: 13A
- NOISE LEVEL WASH: 57DBA
- NOISE LEVEL SPIN: 76DBA

BUTTON FUNCTION

• POWER

10000L

- TEMP
- DELAY
- SPEED FUNCTION

Integrated Washer dryer

KIWD6200

Features

- Spin speed: 1200rpm
- Wash load: 6kg
- Dry load: 3kg
- 11 programmes Delay timer
- Variable spin speed LED display
- Acoustic signal for end of programme

Wash Functions

- Extra rinse function
- Intensive wash function
- 15 minute quick wash function

Dryer Functions

- Condensing dryer
- · Reversible drum action
- Drum clean programme
- Safety key lock

- Variable wash temperature
- Stainless steel drum
- Technical Specification
- Rated electrical power: 2kW
- Power supply required: 13A
- Noise level wash: 59dBA
- Noise level spin: 76dBA
 Noise level dry: 58dBA

Programmes

- Intensive Cotton Synthetics Wool/ Handwash Delicate Drum Clean
- Spin a- Rapid Hygiene


Wash Functions

- Energy rating: B
- · Wash rating: A
- Spin rating: B
- Energy consumption per cycle: 0.98kW.h
- Water consumption per cycle: 108L











KAF300XX

Freestanding stainless steel module combined from full height fridge, freezer and wine cabinet set. 186cm Height.

KW3132GXB

Multi-Temperature Wine Cabinets with 132 Bottles Storage

klugmann wine storage cabinet equipped with three temperature wine cooling zones, the temperature in the upper zone can be set to between +5°c and +10°c, in middle zone between +5°c and +12°c and below zone especially for red wine between +10°c and +18°c, making these appliances ideal for long-term storage and the ageing of wine. flush-integrated led lighting perfectly showcases the wines stored the cabinet has 6 wood telescopic rails, the cabinet can be loaded with 132 bordeaux bottles (43 up, 45 in the middle and 44 below).

- Energy efficiency class A
- Control lc-displayNumber of storage shelves 9 wooden telescopic rails
- Temperature zones 3
- Product dimensions (h/w/d) 1825/ 598 / 685 mm
 Maximum number of 0.75 l bordeaux bottles 132
- · Design stainless steel with glass
- Door reversibleNoise level 45 d(ba)

KFM1000IX

Full height fridge with temperature display

- Total net capacity 380 litres
- Display electronic controls
- Deluxe steel trimmed interior
- Supercool function
- 5 glass shelves (4 are removable)
- 2 salad crisper drawers (one with humidity control)
- 5 door storage compartments
- Bottle rack
- KFZM1000IX

Full height freezer with temperature display

- Total net capacity 380 litres
- Nofrost
- · Display electronic controls
- Deluxe steel trimmed interior
- Superfrost function

- Egg tray
 LED interior lighting
 Noise level 40dB
 Energy rating: A+
 Annual energy consumption 169 kwh
 Height 1770mm

 Door right binged reversible
- Door: right hinged, reversible
- Door fitment: sliding hinges
- LED interior lighting Noise level 39dB
- · Energy rating: A+
- Annual energy consumption 169 kwh



KAFW1000

Freestanding stainless steel module combined from full height American fridge and wine cabinet KW3132GXB set. 186cm Height.

KAF643SX or KAF643WDI American fridge with or without water dispenser

- Total Gross/Net (litres) 657/592
- Gross/Net refrigerator compartment (litres) 400/378
- Gross/Net freezer compartment (litres) 257/214
- Nofrost
- Energy rating: A+
- Annual energy consumption 423 kwh
- Noise level 46dB
- · Fresh food features
- ClearLook door bins 4 (3 adjustable)
- · Separate compartment for dairy
- · Glass spillproof shelves 4 (3 adjustable)
- Internalal lighting 1x standard
- Fruit and vegetable drawer adjustable humidity

- Separate drawer
- Electronic controls (0-9) Technology
- ClimateGuard
- Freezer features
- · Electronic ice maker
- Metal baskets 4
- Freezer baskets (Slide'n Store) 2
- Door bins 6
- Internalal lighting standard
- FrostGuard Technology
- Climate class T (16°C 43°C)

KAFW1000 - PRO

120 cm Six Compartment Fridge Freezer

Features:

- Argon filled triple glazed door
- · Metal handles
- · Plumbed Internal automatic ice maker
- · Filtered water supply for ice maker · Electronic touch control with digital
- display
- 3 Temperature zones
- Each fridge zone can be turned off independently
- · Dual refrigeration system with 2 compressors and 3 evaporators
- · 4 Star 216 litres, 2 star 31 litres
- · Auto defrost
- · Frost-free
- Super freeze and super cool functions
 Climate class SN/T

- · Sabbath mode
- · Open door alarm
- Forced air flow design
- · Vegi-fresh compartment to keep vegetables fresh for longer
- Ambient humidity sensor for optimum performance
- Time and date display
- 100% CFC / HFC free
- · Enhanced LED lighting through illuminated shelf supports
- · Front access to levelling
- · Can be installed built-in or freestanding with optional side panels

· Stainless steel exterior and interior

Dimensions:

• Width 1214mm

Height 2129mm

• PERFORMANCE:

• Energy Class A++

• Depth (inc. door - excl. handle) 724.7mm

• Depth (inc. door and handle) 778.7mm

• Energy Consumption 435kWh/yr

Max. Noise Level 48dB[A]

• Freezing Capacity 13kg/24hrs

Storage:

- 6 Safety glass shelves
- · 1 Sliding bottle tray 2 Freezer drawers
- 1 Crisper drawer · 1 Ice compartment with ice maker
- 1 Glass marinating tray

- Capacity:
- · Total net capacity: 29 Cu ft/820 Litre
- Total gross capacity: 25.2 Cu ft/713 Litre
- Fridge net capacity: 16.5 Cu ft/466 Litre
- Freezer net capacity: 8.7 Cu ft/247 Litre

122 F R 123

KAF643WDI

90cm american side-by-side stainless steel fridge - freezer with or without water dispenser and ice maker

Features:

- Total Gross/Net (litres) 657/592
- Gross/Net refrigerator compartment (litres) 400/378
- Gross/Net freezer compartment (litres) 257/214
- Nofrost
- Energy rating: A+
- Annual energy consumption 423 kwh
- Noise level 46dB
- · Fresh food features
- ClearLook door bins 4 (3 adjustable)
- Separate compartment for
- Glass spillproof shelves 4 (3 adjustable)

• Internalal lighting 1x stan-dard

- · Fruit and vegetable drawer adjustable humidity
- Separate drawer
- Electronic controls (0-9) Technology
- ClimateGuard
- Freezer features
- Electronic ice maker Metal baskets 4
- Freezer baskets (Slide'n Store) 2
- Door bins 6
- Internalal lighting standard
- FrostGuard Technology
- Climate class T (16°C 43°C)





KAF643SX

90cm American Side-By-Side Stainless Steel Fridge - Freezer With Electronic Control SystemA+

Features:

- Technology
 ClimateGuard
- Freezer features
- Electronic ice maker
- Metal baskets 4
- Freezer baskets (Slide'n Store) 2
- Door bins 6
- Internalal lighting standard
- FrostGuard Technology
- Climate class T (16°C 43°C)
- Total Gross/Net (litres) 657/592
- Gross/Net refrigerator com-partment (litres) 400/378
- Gross/Net freezer compart-ment (litres) 257/214
- Nofrost
- Energy rating: A+
- Annual energy consumption 423 kwh
- Noise level 46dB
- Fresh food features
- ClearLook door bins 4 (3 adjustable)
- Separate compartment for dairy
 Glass spillproof shelves 4 (3)
- adjustable)
- Internalal lighting 1x stan-dard
- · Fruit and vegetable drawer adjustable
- · Separate drawer
- Electronic controls (0-9)





124 F R 125

KAF904WDI

90cm four doors refrigerator with and without water dispenser stainless steel

Features:

Highlights: No Frost

Water dispenser

Total gross capacity in liters 492L

Digital temperature display

Super freezing

Stainless steel

Technical data


Appliance type: Side by Side - fridge-freezer combination

Energy efficiency class A+++ (highest efficiency) to

D (lowest efficiency): A++
Category of household refrigerator model 7 – fridge–

Climate class SN \sim T (ambient temperature $10-43^{\circ}$









More features

Annual energy consumption in kWh year *1 376 Total net capacity in liters: 492

Useful capacity cooling in liters: 327 Useful capacity freezing in liters: 165 Star rating 4****

Freezing capacity in 24 hours: 12 Kg

Max. Storage time in case of malfunction in hours: 8 Noise emission LWA(re 1 pW) in dB: 42

Refrigerant: R600a,

Equipment

adjustable thermostat, compressor 1, adjustable feet. Indicator lights: operation / super freezing /

warning light

lighting in refrigerator and freezer: LED

Glass shelves in refrigerator and freezer each: 3 Vegetable drawer with shatterproof glass cover: 2 door shelves: 6, egg tray: 1, freezer compartment

Net weight in kg 100 Dimensions appliance H / W / D in cm:

1780*911*636 mm



90cm French Door Refrigerator with Water Dispenser, Stainless Steel, 525L

Features:

Highlights:

No Frost

Water dispenser

Total gross capacity in liters 520L

Digital temperature display

Super freezing

Stainless steel

Technical data

Appliance type: Side by Side - fridge-freezer

combination

Energy efficiency class A+++ (highest efficiency) to

D (lowest efficiency): A++
Category of household refrigerator model 7 – fridge–

Climate class SN ~ T (ambient temperature 10-43°

NoFrost refrigerator section and freezer section Annual energy consumption in kWh year *1 376

Total net capacity in liters: 492

Usable capacity cooling in liters: 327

Useful capacity freezing in liters: 165
Star rating 4****

Freezing capacity in 24 hours: 12 Kg

Max. Storage time in case of malfunction in hours: 8

Noise emission LWA(re 1 pW) in dB: 42

Refrigerant: R600a,75g





adjustable thermostat, compressor 1, adjustable feet. Indicator lights: operation / super freezing / warning

lighting in refrigerator and freezer: LED Glass shelves in refrigerator and freezer each: 3

Vegetable drawer with shatterproof glass cover: 2 door shelves: 6, egg tray: 1, freezer compartment flap: 2

Net weight in Kg 80

Dimensions appliance H / W / D in cm: 1780*911*706

126 F R 127

KAF902WDI

Fridge-freezer Frost free A++ energy efficiency class

Features:

Highlights:

No Frost, water dispenser Total gross capacity in liters 520L Digital temperature display Stainless steel Technical data Appliance type: Side by Side - fridge-freezer combination Energy efficiency class A+++ (highest efficiency) to D (lowest efficiency): A++ Category of household refrigerator model 7 – fridge–freezer Climate class SN ~ T (ambient temperature 10–43° C) NoFrost refrigerator section and freezer section Annual energy consumption in kWh year *1 376 Total net capacity in liters: 432

Usable capacity cooling in liters: 267 Useful capacity freezing in liters: 165 Star rating 4****



More features

Freezing capacity in 24 hours: 12 Kg Max. Storage time in case of malfunction in hours: 8

Noise emission LWA(re 1 pW) in dB: 42

Refrigerant: R600a

adjustable thermostat, compressor 1, adjustable feet. Indicator lights: operation / super freezing /

lighting in refrigerator and freezer: LED Glass shelves in refrigerator and freezer each: 3 Vegetable drawer with shatterproof glass cover: 2

door shelves: 6, egg tray: 1, freezer compartment flap: 2 Net weight in Kg 100 Dimensions appliance H / W / D in cm: 1780*911*706 mm

KF185IX2 & KF185IX1

120 cm full hight fridge / freezer Side By Side, electronic Display, 360L and 265L

Features:

Freezer compartment Totally frost free Net Capacity: 360L , Fridge: 360L Energy class: F class Refrigerant: R600a Multi Air Flow System Temperature range: 0°C to +10°C 1 outside handle with Interior LED Light LED Display with Touch Control with white color 2 big drawers





Refrigerator Compartment:

Freezer compartment Totally frost free Net Capacity: 360L , Fridge : 265L Energy class: F class Refrigerant: R600a Multi Air Flow System Temperature range: 0°C to +10°C 1 outside handle with Interior LED Light LED Display with Touch Control with white color 4 big drawers



R 129 128 F

Integrated

KFF185BGL

Fridge - freezer with electronic control system A++ energy efficiency class

Features:

- Dimensions: 185x60x67 cm
- Fridge net capacity: 229 l
- (with 0 ° C FRESH ZONE) • Freezer net capacity: 88 l
- Energy class: A++
- Colour: Surface of the door black tempered glass
- Total gross capacity 338 l
- Cold section 0° C FRESH ZONE net capacity 21 l
- Energy consumption in 24 hours 0,637 kWh
- Climate class N-ST
- Temperature in the freezer -18 °C and lower
- Freezing capacity 12 kg / 24 h
 Storage time if power cut 20 h
- Reversible doors
- Noise level 41 dB(A)



Refrigerator Compartment:

- Refrigerator compartment
- · Anti-Bacterial protection system
- · Auto defrost system
- Interior LED lighting
- 2 adjustable safety glass shelves
- Glass shelf above cold section 0° C FRESH ZONE
- Glass shelf above vegetable / fruit drawers
- Shelf for bottles
- Pull-out 0° C FRESH ZONE drawer
- 2 drawers for vegetables and fruits
- In doors:
- · Compartment with lid
- 2 small adjustable door travs
- 2 universal adjustable door trays
- Deep tray for bottles with protection from falling out
- Eggs tray (6 pc.)

Electronic control system:

- Refrigerator compartment functions and settings:
- Refrigerator compartment ON / OFF;
- Accurate temperature setting in the refrigerator compartment;
 Quick cooling function SUPER COOL in the
- refrigerator compartment.
- "Holiday" function.
- Freezer compartment functions and settings.
- Freezer compartment ON / OFF.
- Accurate temperature setting in the freezer compartment.
- Quick freezing function FAST FREEZE in the freezer compartment.
- · "Party" function.
- Other functions.
- · Open door alert.
- Control panel lock function.
- · Over temperature alarm.

KIFF600




- Energy class: A+
- Dimensions of the product (W×H×D): 54 × 177.5 × 54.5 cm
- Colour: White
- Door opening: Reversible door opening
- Door hinge: Sliding door hinge
- Door material: Steel sheet
- Climate class: SN, ST, N
- NoFrost FastFreeze
- Programme Eco Type of interior light: LED
- 5 glass shelves
- 2 glass slide shelves
- 2 divisible glass shelves · Bottle holder
- · Dairy shelf
- Bottle shelf with fixed trap
- Flexible egg tray (12×)
- 2 vegetable drawers



- Energy Class: A+
- (W×H×D): 595 X 818X 548 mm
- · Colour: White
- Door Opening: Reversible Door Opening
- Door Hinge: Sliding Door Hinge
- Climate Class: Sn (10- 32° C)
- · 2 Glass Slide Shelves Internal Freezer
- · Internal Lighting





Wine Cooler

KW3132GXB


Multi-Temperature Wine Cabinets with 132 Bottles Storage



- klugmann wine storage cabinet equipped with three temperature wine cooling zones. the temperature in the upper zone can be set to between +5°c and +10°c, in middle zone between +5°c and +12°c and below zone especially for red wine between +10°c and +18°c, making these appliances ideal for long-term storage and the ageing of wine. flush-integrated led lighting perfectly showcases the wines stored. the cabinet has 6 wood telescopic rails.the cabinet can be loaded with 132 bordeaux bottles (43 up, 45 in the middle and 44 below).
- Energy efficiency class A
- Control lc-display
- Number of storage shelves 9 wooden telescopic rails
- Temperature zones 3
- Product dimensions (h/w/d) 1825/ 598 / 685 mm
- Maximum number of 0.75 l bordeaux bottles 132
- Design stainless steel with glass
- Door reversible
- Noise level 45 d(ba)

KW242IGB

Built-in Wine Cooler with 42 Bottles Storage, Design Stainless Steel with Glass




- Klugmann Wine Storage Cabinets Equipped With Two Temperature Wine Cooling Zones. The Temperature In The Upper Zone Can Be Set To Between +5°C And +10°C And In Below Zone Especially For Red Wine Between +10°C And +18°C, Making These Appliances Ideal For Long-Term Storage And The Ageing Of Wine. Flush-Integrated Led Lighting Perfectly Showcases The Wines Stored. The Cabinet Has 6 Wood Telescopic Rails Can Be Loaded By 42 Bottles (18 Up And 24 Below).
- · Energy Efficiency Class A
- Temperature Zones 2
- Product Dimensions (H/W/D) 890 / 598 / 580 Mm
- Maximum Number Of 0.75 L Bordeaux Bottles 42
- Design Stainless Steel With Glass / Black Glass
- Door Reversible In Glass Version

KW246GX

Built-in Wine Cooler with 46 Bottles Storage, Design Stainless Steel with Glass

- ENERGY EFFICIENCY CLASS A
- TEMPERATURE ZONES 2
- PRODUCT DIMENSIONS (H/W/D) 850 / 598 / 580 MM
- MAXIMUM NUMBER OF 0.75 L BORDEAUX BOTTLES 46
- DESIGN STAINLESS STEEL WITH GLASS / Black Glass
- DOOR REVERSIBLE
- NOISE LEVEL 46 D(BA)



KW246GXB

Built-in Wine Cooler with 46 Bottles Storage, Design Stainless Steel with Glass

- Klugmann Wine Storage Cabinets Equipped With Two Temperature Wine Cooling Zones. The Temperature In The Upper Zone Can Be Set To Between +5°C And +10°C And In Below Zone Especially For Red Wine Between +10°C And +18°C, Making These Appliances Ideal For Long-Term Storage And The Ageing Of Wine. Flush-Integrated Led Lighting Perfectly Showcases The Wines Stored. The Cabinet Has 6 Wood Telescopic Rails.
- Energy Efficiency Class A
- Temperature Zones 2
- Product Dimensions (H/W/D) 850 / 598 / 580 Mm
- Maximum Number Of 0.75 L Bordeaux Bottles 46
- · Design Stainless Steel With Glass
- Door Reversible
- · Noise Level 46 D(Ba)



132 | F

CircumHeat



The circular heating element surrounds the fan on the inner rear wall and they are both on. The heat is diffused by forced convection. A powerful fan draws air from the interior of the oven. It then heats up the air and forces it right back into the oven cavity through strategically placed shaped air ducts in the rear wall. This system means the oven heats up rapidly, and needs little or no preheating. This is recommended for food that needs to be tender or rare on the inside and well done on the outside such as lamb, roast beef and whole fish.



CircumRoast

An ideal function for cooking meat and poultry if you require a rotisserie result. The grill and fan distribute heat alternately reducing cooking times by 35-40%.



CircumCook Intensive





Bottom

Providing heat from the bottom of the oven, for more focused heat and control. This method is ideal for pizza bases and pastry cases where you need a crispy underside or bain marie and casseroles.



Top Heat

Perfect for flash browning dishes like cauliflower and macaroni cheese, when you need to achieve a gratin finish.



Conventional Oven

Used as a function within an oven, heat is provided by the upper and lower heating elements of the oven, but no fan. The heat is diffused by natural convection. Recommended for foods which require the same cooking temperature both internally and externally e.g. Roasts and Pastries.



FULL SURFACE GRILL

The grill element is situated in the oven roof. It is thermostatically controlled and will cycle on and off to maintain the required temperature.



CENTRE SURFACE GRILL

You can use just the centre section of the grill for smaller quantities



DEFROST

The oven fan is turned on, but no heat is being produced. Defrosting is carried out by simple movement of air to speed up defrosting times, but with no heat. Recommended for rapidly defrosting delicate frozen foods such as fish and poultry.



FAN ASSISTED OVEN

The set function is for the upper and lowers heating elements and the fan to be switched on. Heat from the top and bottom elements is diffused by the forced convection from the fan found normally at the rear. The temperature throughout is even and the oven heats



Fan with Top Heat

The upper and circular element, and fan, diffuses the heat by forced convection with most of the heat being produced by the top element.



CircumCook + Grill

In this position the upper heating element and the grill element are on simultaneously so that also the corner areas are heated. Heat is radiated over the entire surface area of the grill. This function starts cooking with pre-heating temperature set at 225°C.



Grill and Rotisserie

There are so many advantages to rotisserie cooking. Meats are generally juicier, self-basted and slow roasted.



Steam Cooking

The convection steam oven is perfect for anyone who has a healthy attitude toward cooking. These ovens operate without increased cavity pressure but still allow a perfect distribution of heat and moisture.

Fan/Steam Cooking



The latest advanced steam combination fan/steam ovens allow you to combine hot air cooking and steaming at the same time. This means you can prepare all sorts of foods - bread, meat and fish, for example - keeping them beautifully moist on the inside but satisfyingly crisp on the outside.

Eco Setting



This is an energy saving programme that can save up to 20% compared to conventional cooking. The energy saving is achieved by the oven not requiring pre-heating so cooking times might be slightly longer and the temperature might fluctuate slightly. Ideal for non heat sensitive foods such as casseroles, stews, pot roasting etc. Heat is produced by the grill and base elements.



Gas with Fan

circulates the air for even cooking and allows cooking on more that one shelf.



Gas

Traditional gas cooking



Combi Oven - Micro-

Standard microwave cooking with the fan oven.



Combi Oven - Fan Micro-

Standard microwave cooking with the addition of the heated fan oven, used together can substantially reduce cooking times.




Combi Oven - Grill


Standard microwave cooking with the addition of the high power oven grill for browning.




OVENS




KO612.8ICBL KO612TCW KO612TCX KO Design Range



KO614ICDXI - KO614ICDX2 - KO614ICDX3 KO607PBX KO608PBBM KO613.TCX KO610.5TCB KO611ICB KO6115ICB




KO609TCPBX KO614ICPBL




KO909TCX KO913TCX




KO610ICX KO612TCX KO610TCX KO610TCB




K0611W K06080TCX




KG0600GFX




K0614.5ICBL- K0614.5ICX




ко611ТСХ




KO609TCX KGO600GGFX




KO613TCX



KO45TCX KCO43ICX KCO43TCX












KSO6612.5ICX KSO6612ICX




KSO1ITCX KSO1ITCBL KSO38ICX KSO38TCX KSO38TCBL KSO35TCBL




KMO38.5TCX




KMO4413TCBL KMO3413.5TCX




KM03413TCX KM04413.5TCX



КМО32Х





KM025X KM025.5X




кмозатсх


COFFEE MAKER







HOODS













WASHING MACHINE













DISHWASHER










260



KD450X KD450.2X